

Index to volume 13

Author index

- A
- Abel EA, Reid H, Wood C, Hu C-H: PUVA-induced melanocytic atypia: Is it confined to PUVA lentiginos, 761
- Abell E *see* Wolff et al, 604
- Ackerman AB: Classification of ichthyoses, 1047 (Correspondence)
- Adams RM, Maibach HI: A five-year study of cosmetic reactions, 1062 (Special article)
- *see* Hoffman et al, 778
- Alexander RC, Schor DP: Most genital warts in children should be reported as possible sexual abuse, 525 (Correspondence)
- Alper JC, Wiemann MC, Rueckl FS, McDonald CJ, Calabresi P: Rationally designed combination chemotherapy for the treatment of patients with recalcitrant psoriasis, 567
- Amesty C *see* Leal et al, 337
- Anderson HM *see* Lim and Anderson, 903
- Anhalt GJ *see* Unis et al, 377
- Aram H, Zeidenbaum M: Palmoplantar hyperkeratosis in mycosis fungoides, 897
- Archer CB, Wells RS, MacDonald DM: Metastatic cutaneous carcinoma, 363
- Archer ME *see* Dinehart et al, 743
- Ariano L *see* Brown and Ariano, 675 (Correspondence)
- Armstrong RB, Whitman GB, Gasparro FP, Leach EE: Potential hazards in phototherapy with ultraviolet radiation arising from variation in dose required to produce erythema, 772
- Arndt KA, Stern RS: Reply to LeVine MJ: Correction, 832 (Correspondence)
- Arnett FC: HLA and genetic predisposition to lupus erythematosus and other dermatologic disorders, 472 (Clinical review)
- Arnold HL: Reply to Hazelrigg DE: Paroxysmal pruritus, 839 (Correspondence)
- Aronson PJ, Fretzin DF: A unique case of sarcoidosis with coexistent collagen vascular disease, 886
- Arundell FD: Reply to Kaminester LH: Crucial importance of the complete skin examination, 153 (Correspondence)
- Aso M, Hashimoto K, Hamzavi A: Immunohistochemical studies of selected skin diseases and tumors using monoclonal antibodies to neurofilament and myelin proteins, 37
- Aylesworth R, Baldridge D: Feather pillow dermatitis caused by an unusual mite, *Dermatophagoides schereueteuyskyi*, 680 (Correspondence)
- Azulay DR, Azulay-Abulafia L: Isotretinoin-associated granulation tissue treated with occlusive corticosteroid tape, 670, 837 (Correspondence)
- Azulay-Abulafia L *see* Azulay and Azulay-Abulafia, 670, 837 (Correspondence)
- B
- Baer AN, McCurley T, Glick AD, Sergent JS: Evidence for immunologically mediated pulmonary injury in the hypocomplementemic urticarial vasculitis syndrome, 509 (Correspondence)
- Baer RL: Papaverine therapy in atopic dermatitis, 806 (Therapy)
- Bailin PL, Ratz JL: Reply to Kohn SR, Silvers DN: Hamartoma of neural origin, 1047 (Correspondence)
- Baker ST: Source of circulating testosterone and hirsutism, 160 (Correspondence)
- Balato N, Montesano M, Lembo G: Acquired phlebectasia of the glans penis, 824 (Correspondence)
- Baldridge D *see* Aylesworth and Baldridge, 680 (Correspondence)
- Bamford JTM, Gibson RW, Renier CM: Atopic eczema unresponsive to evening primrose oil (linoleic and γ -linolenic acids), 959
- Banda PW *see* Sagebiel et al, 975
- Baral J: Minoxidil and sudden death, 297 (Correspondence)
- : Scalp comedones after topical minoxidil, 1051 (Correspondence)
- Barbour AG *see* Berger et al, 444
- Bargman H: Reply to Chan HL, Wong SN, Lo FL: Tetracycline-induced fixed drug eruptions: Influence of dose and structure of tetracyclines, 303 (Correspondence)
- Barker SM *see* Winkelmann and Barker, 988
- Barnhill RL: Reply to Miyachi Y, Niwa Y: Thalidomide and oxygen intermediates, 305 (Correspondence)
- Barranco VP: Multiple benign lichenoid keratoses simulating photodermatoses: Evolution from senile lentiginos and their spontaneous regression, 201
- Berger BW, Kaplan MH, Rothenberg IR, Barbour AG: Isolation and characterization of the Lyme disease spirochete from the skin of patients with erythema chronicum migrans, 444
- Berger TG *see* James et al, 563
- Berman B *see* Lebwohl et al, 780
- Bernard P *see* Bonnetblanc et al, 668 (Correspondence)
- Bibro MK *see* Fernandez-Obregon et al, 464 (Adverse reactions)
- Bielory L, Yancey KB, Young NS, Frank MM, Lawley TJ: Cutaneous manifestations of serum sickness in patients receiving antihymocyte globulin, 411
- Bjornsson J *see* Powell et al, 84
- Black MM *see* Meyrick Thomas et al, 832 (Correspondence)
- Blocka KLN *see* Hogan and Blocka, 840 (Correspondence)
- Blois MS *see* Kelly et al, 756
- Bonetti F *see* Gottlieb et al, 54
- Bonnetblanc JM, Bernard P, Malinvaud G: Treatment of angiolymphoid hyperplasia with eosinophilia, 668 (Correspondence)
- Borchers SW: Moistened gauze technic to aid in diagnosis of tinea capitis, 672 (Correspondence)
- Bovenmyer DA: Reply to Epstein E: Persisting Raynaud's phenomenon following intralesional bleomycin treatment of finger warts, 470 (Adverse reactions)
- Boxall LBH *see* Haber et al, 252 (Clinical review)
- Brenner S, Ilie B: Darier's disease associated with juvenile canities, 840 (Correspondence)
- Bretaña A *see* Leal et al, 337
- Brodthagen H: Significant response of oral aphthosis to thalidomide treatment, 509 (Correspondence)
- Brooks R *see* Burket et al, 497 (Dermatopathology)
- Brown C *see* Redfield et al, 821 (Correspondence)
- Brown E, Ariano L: Reply to Rapini RP: The algorithmic approach to benign adnexal tumors, 675 (Correspondence)
- Buchanan ID *see* Holzbreg et al, 522 (Correspondence)
- Burge SM, Dawber RPR: Stevens-Johnson syndrome and toxic epidermal necrolysis in a patient with systemic lupus erythematosus, 665 (Correspondence)
- Burgess WR *see* Hogan et al, 243 (Adverse reactions)
- Burke WA *see* O'Keefe et al, 148 (Correspondence)
- Burket DA *see* Burket et al, 497 (Dermatopathology)
- Burket JM, Brooks R, Burket DA: Eccrine gland clear reticulated cytoplasm, 497 (Dermatopathology)
- Burnett JW *see* Neuman and Burnett, 528 (Correspondence)
- Burton JL: Quirks of British nomenclature, 841 (Correspondence)

July, pp. 1-166; August, part 1, pp. 167-328; August, part 2, pp. 329-382; September, pp. 383-538; October, pp. 539-700; November, part 1, pp. 701-864; November, part 2, pp. 865-918; December, pp. 919-1100.

C

- Calabresi P *see* Alper et al, 567
 Callen JP: Colchicine is effective in controlling chronic cutaneous leukocytoclastic vasculitis, 193
 — *see* Chanda and Callen, 519 (Correspondence)
 — *see* Fowler et al, 645
 —, Fowler JF, Kulick KB: Serologic and clinical features of patients with discoid lupus erythematosus: Relationship of antibodies to single-stranded deoxyribonucleic acid and of other antinuclear antibody subsets to clinical manifestations, 748
 —, Provost TT, Tuffanelli DL: Periodic synopsis on collagen vascular disease, 809
 Camacho F *see* Ortega et al, 381
 Camisa C: Reply to Nieboer C: Lupus erythematosus/lichen planus (LE/LP) overlap syndrome, 297 (Correspondence)
 Caplan RM: Cutaneous implications in Oliver Goldsmith's *The Vicar of Wakefield*, 1075 (Commentary)
 Caputo R *see* Gianotti and Caputo, 383
 Caro WA *see* Rosenbaum et al, 613 (Therapy)
 Carter DM *see* Gottlieb et al, 54
 Castrow FF II: Dermatology in dermatologic surgery, 1059 (Correspondence)
 Catalano PM, Ioannides G: Areolar sebaceous hyperplasia, 867
 Caulier B *see* Van Neste et al, 685 (Correspondence)
 Cavallo T, *see* Jorizzo et al, 80
 Chalker DK *see* Leshner and Chalker, 161 (Correspondence)
 Chan HL, Wong SN, Lo FL: Tetracycline-induced fixed drug eruptions: Influence of dose and structure of tetracyclines, 302 (Correspondence)
 Chan H-L, Su I-J, Kuo T-T, Kuan Y-Z, Chen M-j, Shih L-Y, Eimoto T, Maeda Y, Kikuchi M, Takeshita M: Cutaneous manifestations of adult T cell leukemia/lymphoma, 213
 Chanda JJ: Extramammary Paget's disease and occult hypermelanosis, 1053 (Correspondence)
 —: Extramammary Paget's disease: Prognosis and relationship to internal malignancy, 1009 (Clinical review)
 —, Callen JP: Adverse effect of melanoma incision, 519 (Correspondence)
 Chapel J *see* Chapel et al, 582
 Chapel TA, Prasad P, Chapel J, Lekas N: Extragenital syphilitic chancres, 582
 Chapman RS *see* Green et al, 511 (Correspondence)
 Chen M-j *see* Chan et al, 213
 Chernosky ME, Finley VK: Yellow nail syndrome in patients with acquired immunodeficiency disease, 731
 Christophers E *see* Henseler and Christophers, 450
 Chuang T-Y *see* Soltani et al, 150 (Correspondence)
 Clark RAF: Cutaneous tissue repair: Basic biologic considerations. I, 701
 — *see* Reed and Clark, 919
 Coomes EN *see* Rustin et al, 300 (Correspondence)
 Cooper AJ *see* Powell et al, 84
 Crovato F, Rebora A: PIBI(D)S syndrome: A new entity with defect of the deoxyribonucleic acid excision repair system, 683 (Correspondence)
 Crutcher WA *see* Sagebiel et al, 975

D

- Daneshvar S *see* Pavlidakey et al, 109 (Adverse reactions)
 Daniel CR: Reply to Stewart L, Young E, Lim HW: Idiopathic leukonychia totalis and partialis, 158 (Correspondence)
 Daniels JC *see* DeCastro et al, 650

- *see* Jorizzo et al, 80
 — *see* Raimer et al, 366
 David M *see* Grunwald et al, 224
 Davis LG *see* Levin et al, 590
 Dawber RPR *see* Burge and Dawber, 665 (Correspondence)
 DeCastro P, Jorizzo JL, Solomon AR, Lisse JR, Daniels JC: Coexistent systemic lupus erythematosus and tophaceous gout, 650
 Dee-Ananlap S *see* Suvaanprakorn et al, 968
 Deffer TA, Overton-Keary PP, Goette DK: Erythroderma secondary to esophageal carcinoma, 311 (Correspondence)
 Delong ER *see* Olsen et al, 185
 De Salvo L *see* Leal et al, 337
 Detlefs RL: Drug-induced pancreatitis presenting as subcutaneous fat necrosis, 305 (Correspondence)
 DeVore DP *see* Grosh et al, 792
 Dicken CH: Malignant pyoderma, 1021 (Clinical review)
 —: Peeling skin syndrome, 158 (Correspondence)
 Dillon HC Jr *see* Maddox et al, 207
 Dinehart SM, Archer ME, Wolfe JE Jr, McGavran MH, Reitz C, Smith EB: Caripito itch: Dermatitis from contact with *Hyalestia* moths, 743
 Dobson RL: Reply to Castrow FF II: Dermatology in dermatologic surgery, 1060 (Correspondence)
 —: Reply to Rivers JK: PAP: A new term for solid palpable lesions of the skin, 1050 (Correspondence)
 — *see* Schuman and Dobson, 220
 Dorsey JK *see* Piette et al, 342
 Douglass MC, Mathes B, Thomas L: Reply to Sarma DP, Weilbaecher TG: Molluscum contagiosum in the acquired immunodeficiency syndrome, 683 (Correspondence)
 — *see* Mathes and Douglass, 947
 Doyle JA *see* Friedman and Doyle, 70
 — *see* Powell et al, 84
 Dubertret L: Etretinate (Tigason, Europe; Tegison, USA) in psoriasis: Advantages of low doses progressively increased, 830 (Correspondence)
 Duke EE *see* Rivers et al, 43
 Dupre A, Viraben R: Congenital smooth muscle nevus with follicular spotted appearance, 837 (Correspondence)
 Duschet P, Schwarz T, Mayer F, Gschnait F: Effect of anatomic location on immunofluorescence in lichen planus, 1057 (Correspondence)
 Dzubow LM: Survey of refrigeration and surgical technic used for facial dermabrasion, 287 (Dermatologic surgery)

E

- Economidou J, Papasteriades C, Varla-Leftherioti M, Varelzidis A, Stratigos J: Human lymphocyte antigens A, B, and C in Greek patients with psoriasis: Relation to age and clinical expression of the disease, 578
 Eimoto T *see* Chan et al, 213
 El Baze P, Ortonne J-P: Ecthyma gangrenosum, 299 (Correspondence)
 Elias PM *see* Williams and Elias, 1048 (Correspondence)
 Ellis CN, Kang S, Grekin RC, Voorhees JJ, Silva J Jr: Etretinate therapy reduces polymorphonuclear leukocyte chemotaxis-enhancing properties of psoriatic serum, 437
 —: Reply to Dubertret L: Etretinate (Tigason, Europe; Tegison, USA) in psoriasis: Advantages of low doses progressively increased, 830 (Correspondence)
 — *see* Grekin and Ellis, 670 (Correspondence)

- , Wong RC: Reply to Funt LS: Oral ibuprofen and minocycline for the treatment of resistant acne vulgaris, 525 (Correspondence)
- Elpern DJ: Atypical pyoderma as a side effect of isotretinoin, 1045 (Correspondence)
- Epstein E: Magnifiers in dermatology: A personal survey, 687 (Special article)
- : Persisting Raynaud's phenomenon following intralesional bleomycin treatment of finger warts, 468 (Adverse reactions)
- : Reply to Kaminester LH: Crucial importance of the complete skin examination, 151 (Correspondence)
- Epstein JD *see* Hogan et al, 243 (Adverse reactions)
- Erkman-Balis B *see* Espinoza et al, 736
- Esker A *see* Rosenbaum et al, 613 (Therapy)
- Espinoza CG, Erkman-Balis B, Fenske NA: Lymphomatoid papulosis: A premalignant T cell disorder, 736
- Esterly NB, Maurer HS, Gonzalez-Crussi F: Histiocytosis X: A seven-year experience at a children's hospital, 481 (Clinical review)
- Estes SA *see* McCallister et al, 598
- Everett MA: Lymphomatoid papulosis, 507 (Editorial)
- Evey PL *see* Kantor et al, 116 (Adverse reactions)
- F**
- Falanga V: Infantile acropustulosis with eosinophilia, 826 (Correspondence)
- Falk DK: Reply to Baer AN, McCurley T, Glick AD, Sergeant JS: Evidence for immunologically mediated pulmonary injury in the hypocomplementemic urticarial vasculitis syndrome, 512 (Correspondence)
- Feinstein RP: The effect of topical minoxidil on blood pressure, 673 (Correspondence)
- Fenske NA *see* Espinoza et al, 736
- *see* Pullara et al, 999
- Fernandez-Oregon AC, Hogan KP, Bibro MK: Flagellate pigmentation from intrapleural bleomycin, 464 (Adverse reactions)
- Feuerman EJ *see* Grunwald et al, 224, 512 (Correspondence)
- Field LM: Book review on *Atlas of Skin Repair*, 831 (Correspondence)
- Finan MC, Su WPD: Reply to Rustin MHA, Staughton RCD, Coomes EN: Hair cell leukemia and pyoderma gangrenosum, 301 (Correspondence)
- Finley VK *see* Chernosky and Finley, 731
- Fisher BK *see* Macpherson et al, 873
- Fisher DA: Exercise-induced bronchoconstriction related to isotretinoin therapy, 524 (Correspondence)
- Folks TF *see* Redfield et al, 821 (Correspondence)
- Fontan B *see* Viraben et al, 515 (Correspondence)
- Foucar E *see* Piette et al, 342
- Fowler JF *see* Callen et al, 748
- , Callen JP, Hodge SJ, Verdi G: Cutaneous non-X histiocytosis: Clinical and histologic features and response to dermabrasion, 645
- France DS *see* Lebwohl et al, 780
- Frank MM *see* Bielory et al, 411
- Fretzin DF *see* Aronson and Fretzin, 886
- Friedman SJ, Doyle JA: Sclerodermoid changes of porphyria cutanea tarda: Possible relationship to urinary uroporphyrin levels, 70
- Frost P *see* Horwitz et al, 784
- Funt LS: Oral ibuprofen and minocycline for the treatment of resistant acne vulgaris, 524 (Correspondence)

- Fusaro RM, Lynch HT: Hereditary malignant melanoma—conceptual differences, 833 (Correspondence)

G

- Gallo RC *see* James et al, 563
- *see* Redfield et al, 821 (Correspondence)
- Gasparro FP *see* Armstrong et al, 772
- Gavish D, Katz M, Gottehrer N, Israeli A, Lijovetzky G, Holubar K: Cholestatic jaundice, an unusual side effect of etretinate, 669 (Correspondence)
- Gentry RH *see* Sakas and Gentry, 908
- Gianotti F, Caputo R: Histiocytic syndromes: A review, 383
- Gibbons DG *see* Grosh et al, 792
- Gibson RW *see* Bamford et al, 959
- Gibstine C *see* Roenigk et al, 153 (Correspondence)
- Gilchrist BA *see* Morison et al, 143 (Periodic synopsis)
- Glick AD *see* Baer et al, 509 (Correspondence)
- Goette DK *see* Deffer et al, 311 (Correspondence)
- Goihman-Yahr M *see* Leal et al, 337
- Goldberg HC: Usefulness of electrolysis, 310 (Correspondence)
- Gonzalez-Crussi F *see* Esterly et al, 481 (Clinical review)
- Gottehrer N *see* Gavish et al, 669 (Correspondence)
- Gottlieb AB, Mayer L, Bonetti F, Knowles DM II, Krueger J, Kunkel HG, Carter DM: A membrane protein preferentially expressed by a subpopulation of immature lymphoid cells, epidermal basal keratinocytes, and other epithelial cells, 54
- Graham-Brown R: Reply to Burton JL: Quirks of British nomenclature, 841 (Correspondence)
- Grande DJ *see* Wagner et al, 311 (Correspondence)
- Greaves MW *see* Steinman and Greaves, 91
- Green LK, Hebert AA, Jorizzo JL, Solomon AR Jr, Subramanyam K: Pyoderma gangrenosum and chronic persistent hepatitis, 892
- Green ST, Natarajan S, Chapman RS: Reply to Baer AN, McCurley T, Glick AD, Sergeant JS: Evidence for immunologically mediated pulmonary injury in the hypocomplementemic urticarial vasculitis syndrome, 511 (Correspondence)
- Greene SL, Muller SA: Netherton's syndrome, 329
- : Reply to El Baze P, Ortonne J-P: Ecthyma gangrenosum, 299 (Correspondence)
- : Reply to Ledo A, Harto A, Sendagorta E: Doxepin in the treatment of chronic urticaria, 1058 (Correspondence)
- Greeson JD *see* Pullara et al, 999
- Grekin RC *see* Ellis et al, 437
- , Ellis CN: Reply to Azulay DR, Azulay-Abulafia L: Isotretinoin-associated granulation tissue treated with occlusive corticosteroid tape, 670 (Correspondence)
- Grekin RH: American Academy of Dermatology, 43rd Annual Meeting, Washington, DC, Dec. 1-6, 1984, 317
- Grimwood RE, Huff JC, Weston W: A simple and improved method for direct and indirect immunofluorescent staining, 768
- Grinspan D: Reply to Brodthagen H: Significant response of oral aphthosis to thalidomide treatment, 509 (Correspondence)
- Grosh SK, Hanke CW, DeVore DP, Gibbons DG: Variables affecting the results of xenogenic collagen implantation in an animal model, 792
- Grossman ME *see* Kalb et al, 125 (Clinical review)
- Grunwald MH, David M, Feuerman EJ: Coexistence of psoriasis vulgaris and bullous diseases, 224
- , Halevy S, Livni E, Feuerman EJ: Bullous lichen planus after intravenous pyelography, 512 (Correspondence)

Gschnait F *see* Duschet et al, 1057 (Correspondence)

Guill MA III *see* Posner and Guill, 869

Guillén PS-P, Pichardo AR, Martínez FC: Aplasia cutis congenita, 429

H

Haber RM, Hanna W, Ramsay CA, Boxall LBH: Hereditary epidermolysis bullosa, 252 (Clinical review)

Hadley TP *see* Morison et al, 143 (Periodic synopsis)

Halevy S *see* Grunwald et al, 512 (Correspondence)

Hamzavi A *see* Aso et al, 37

Hanke CW: Reply to Castrow FF II: Dermatology in dermatologic surgery, 1059 (Correspondence)

— *see* Grosh et al, 792

Hankin D *see* Schachner and Hankin, 526 (Correspondence)

Hanna W *see* Haber et al, 252 (Clinical review)

Hanno R, Mitchell AJ, Nelson MS, Heinzerling RH: Cutaneous B cell lymphoma: Diagnostic use of monoclonal antibodies, 373

Harto A *see* Ledo et al, 1058 (Correspondence)

Hashimoto K *see* Aso et al, 37

— *see* Pavlidakey et al, 109 (Adverse reactions)

Hastings D *see* Macpherson et al, 873

Hatchome N, Tagami H: Hypopyon-iridocyclitis as a complication of pustular psoriasis, 828 (Correspondence)

Hausen BM *see* Hoffman et al, 778

Hayes M *see* O'Keefe and Hayes, 469 (Adverse reactions)

Hazelrigg DE: Paroxysmal pruritus, 839 (Correspondence)

Head E *see* Sindhuphak et al, 877

Headington JT: Reply to Fusaro RM, Lynch HT: Hereditary malignant melanoma—conceptual differences, 834 (Correspondence)

Hebert AA *see* Green et al, 892

Heinzerling RH *see* Hanno et al, 373

Heller GL *see* Pavlidakey et al, 109 (Adverse reactions)

Heng MCY, Kloss SG: Basal keratinocyte herniations in Darier's disease, 307 (Correspondence)

Henkin J *see* Wilkerson et al, 229

Henseler T, Christophers E: Psoriasis of early and late onset: Characterization of two types of psoriasis vulgaris, 450

Hershey BJ *see* Levin et al, 590

Hershman J *see* Longstreth and Hershman, 149 (Correspondence)

Hicks B *see* Penneys and Hicks, 845 (Special report)

Hodge SJ *see* Fowler et al, 645

— *see* Kuhlman et al, 596

Hoffman TE, Hausen BM, Adams RM: Allergic contact dermatitis to "silver oak" wooden arm bracelets, 778

Hogan DJ, Blocka KLN: Erythema annulare centrifugum associated with piroxicam, 840 (Correspondence)

—, Murphy F, Burgess WR, Epstein JD, Lane PR: Lichenoid stomatitis associated with lithium carbonate, 243 (Adverse reactions)

Hogan KP *see* Fernandez-Obregon et al, 464 (Adverse reactions)

Hollander A: Reply to Holubar K: Erythema chronicum migrans: Afzelius and Lipschütz, 664 (Correspondence)

Holubar K: Erythema chronicum migrans: Afzelius and Lipschütz, 663 (Correspondence)

— *see* Gavish et al, 669 (Correspondence)

Holzbarg M, Wade TR, Buchanan ID, Spraker MK: Nail pathology in histiocytosis X, 622 (Correspondence)

Horwitz SN, Johnson RA, Sefton J, Frost P: Addition of a topically applied corticosteroid to a modified Goeckerman regimen for treatment of psoriasis: Effect on duration of remission, 784

Hu C-H *see* Abel et al, 761

Hubler WR Jr: Reply to Yaffee JS: Trauma and pustular psoriasis, 1056 (Correspondence)

Hudson RD *see* Sindhuphak et al, 877

Huff JC *see* Grimwood et al, 768

I

Ilie B *see* Brenner and Ilie, 840 (Correspondence)

Ioannides G *see* Catalano and Ioannides, 867

Israeli A *see* Gavish et al, 669 (Correspondence)

Ito M *see* Sakamoto et al, 355

J

James WD, Redfield RR, Lupton GP, Meltzer MS, Berger TG, Rodman OG, Markham PD, Samadharan MG, Salahuddin SZ, Gallo RC: A papular eruption associated with human T cell lymphotropic virus type III disease, 563

— *see* Redfield et al, 821 (Correspondence)

Johnson RA *see* Horwitz et al, 784

Jorizzo JL: Reply to Crovato F, Rebora A: PIBI(D)S syndrome: A new entity with defect of the deoxyribonucleic acid excision repair system, 686 (Correspondence)

— *see* DeCastro et al, 650

— *see* Green et al, 892

—, Taylor RS, Schmalstieg FC, Solomon AR Jr, Daniels JC, Rudloff HE, Cavallo T: Complex aphthosis: A forme fruste of Behçet's syndrome? 80

Justus DW *see* Rivers et al, 43

K

Kahana M, Levy A, Schewach-Millet M, Stempler D: Reply to Meyrick Thomas RH, Ridley CM, Black MM: Lichen sclerosus et atrophicus associated with systemic lupus erythematosus, 832 (Correspondence)

Kahn G: Dapsone is safe during pregnancy, 838 (Correspondence)

Kalb RE, Kaplan MH, Grossman ME: Cutaneous nocardiosis, 125 (Clinical review)

Kalter DC, Rudolph A, McGavran M: Livedo reticularis due to multiple cholesterol emboli, 235

Kaminester LH: Crucial importance of the complete skin examination, 150 (Correspondence)

Kang S *see* Ellis et al, 437

Kantor GR, Ratz JL: Liver toxicity from potassium para-aminobenzoate, 671 (Correspondence)

—, Taylor JS, Ratz JL, Evey PL: Acute allergic contact dermatitis from diazolidinyl urea (Germall II) in a hair gel, 116 (Adverse reactions)

Kaplan MH *see* Berger et al, 444

— *see* Kalb et al, 125 (Clinical review)

Kassiss E *see* Kassiss et al, 661 (Correspondence)

Kassiss V, Kassiss E, Thomsen HK: Benign cutaneous periarthritis nodosa with nail defects, 661 (Correspondence)

Katz M *see* Gavish et al, 669 (Correspondence)

Katz SI: The skin as an immunologic organ, 530 (Special article)

Kaufman JP *see* Kaufman and Kaufman, 681 (Correspondence)

Kaufman WH, Kaufman JP: Hyperkeratoses of forearms associated with chronic lung disease, 681 (Correspondence)

- Kelly JW, Blois MS, Sagebiel RW: Frequency and duration of patient follow-up after treatment of a primary malignant melanoma, 756
- Kessinger A: Reply to Koh H: Applicability of high-dose chemotherapy with autologous marrow transplantation for malignant melanoma, 519 (Correspondence)
- Kikuchi M *see* Chan et al, 213
- Klaus SN *see* Suvanprakorn et al, 968
- Kloss SG *see* Heng and Kloss, 307 (Correspondence)
- Knowles DM II *see* Gottlieb et al, 54
- Kofoed ML, Wantzin GL: Familial lichen planus, 50
- Koh H: Applicability of high-dose chemotherapy with autologous marrow transplantation for malignant melanoma, 518 (Correspondence)
- Kohn SR, Silvers DN: Hamartoma of neural origin, 1046 (Correspondence)
- Korkij W *see* Soltani et al, 150 (Correspondence)
- Krueger J *see* Gottlieb et al, 54
- Krusinski PA: Reply to Baker ST: Source of circulating testosterone and hirsutism, 160 (Correspondence)
- Kuan Y-Z *see* Chan et al, 213
- Kuhlman DS, Hodge SJ, Owen LG: Hyperkeratosis of the nipple and areola, 596
- Kulick KB *see* Callen et al, 748
- Kunkel HG *see* Gottlieb et al, 54
- Kuo T-t *see* Chan et al, 213

L

- Lahti A, Maibach HI: Long refractory period after one application of nonimmunologic contact urticaria agents to the guinea pig ear, 585
- , —: Species specificity of nonimmunologic contact urticaria: Guinea pig, rat, and mouse, 66
- Laing KF *see* Silverman et al, 103 (Adverse reactions)
- Lambert MW *see* Lambert and Lambert, 501 (Dermatopathology)
- Lambert WC, Lambert MW: Power analysis in dermatohistopathology, 501 (Dermatopathology)
- Lane PR *see* Hogan et al, 243 (Adverse reactions)
- Lang PG Jr: Dermatitis herpetiformis responsive to systemic corticosteroids, 513 (Correspondence)
- : Reply to Kahn G: Dapsone is safe during pregnancy, 839 (Correspondence)
- Lawley TJ *see* Bielory et al, 411
- Leach EE *see* Armstrong et al, 772
- Leal I, Merino F, Soto H, Goihman-Yahr M, De Salvo L, Amesty C, Breña A: Chediak-Higashi syndrome in a Venezuelan black child, 337
- Lebwohl M, Berman B, France DS: Addition of short-contact anthralin therapy to an ultraviolet B phototherapy regimen: Assessment of efficacy, 780
- Lederman GS *see* Lederman et al, 75
- Lederman JS, Sober AJ: Does biopsy type influence survival in clinical Stage I cutaneous melanoma, 983
- , —, Lederman GS: Immunosuppression: A cause of porokeratosis? 75
- Ledo A, Harto A, Sendagorta E: Doxepin in the treatment of chronic urticaria, 1058 (Correspondence)
- Lekas N *see* Chapel et al, 582
- Leombo G *see* Balato et al, 824 (Correspondence)
- Leone GA, Shelk JL: Photochemotherapy (PUVA) and skin cancer, 155 (Correspondence); correction, 686

- Leshner JL Jr, Chalker DK: Response of the cutaneous lesions of Reiter's syndrome to ketoconazole, 161 (Correspondence)
- Levin MJ, Zaia JA, Hershey BJ, Davis LG, Robinson GV, Segreti AC: Topical acyclovir treatment of herpes zoster in immunocompromised patients, 590
- LeVine MJ: Correction to Menkes et al (12:21-25, 1985), 831 (Correspondence)
- Levy A *see* Kahana et al, 832 (Correspondence)
- Liesegang TJ: The varicella-zoster virus: Systemic and ocular features (11:165-191, 1984), correction to, 34
- Lijovetzky G *see* Gavish et al, 669 (Correspondence)
- Lim HW *see* Stewart et al, 157 (Correspondence)
- , Anderson HM: Angioendotheliomatosis associated with histiocytic lymphoma, 903
- Lisse JR *see* DeCastro et al, 650
- Livni E *see* Grunwald et al, 512 (Correspondence)
- Lo FL *see* Chan et al, 302 (Correspondence)
- Lober CW: Canthaxanthin—the "tanning" pill, 660 (Editorial)
- : The pharmacist physician, 817 (Editorial)
- Longstreth GF, Hershman J: Trazodone-induced hepatotoxicity and leukonychia, 149 (Correspondence)
- Lowe FC, McCullough AR: Cutaneous horns of the penis: An approach to management, 369
- Lupton GP *see* James et al, 563
- Lynch HT *see* Fusaro and Lynch, 833 (Correspondence)

M

- McCallister RE, Estes SA, Yarbrough CL: Porokeratosis plantaris, palmaris, et disseminata, 598
- McCullough AR *see* Lowe and McCullough, 369
- McCurley T *see* Baer et al, 509 (Correspondence)
- McDonald CJ *see* Alper et al, 567
- MacDonald DM *see* Archer et al, 363
- MacDonald E *see* Sindhu et al, 877
- McGavran MH *see* Dinehart et al, 743
- *see* Kalter et al, 235
- McGoey JW *see* Rubin and McGoey, 314 (Correspondence)
- McLeod WA, Winkelmann RK: Eosinophilic histiocytosis: A variant form of lymphomatoid papulosis or a disease sui generis, 952
- Macpherson M, Fisher BK, Hastings D: Ganglion of the ankle, 873
- Maddox JS, Ware JC, Dillon HC Jr: The natural history of streptococcal skin infection: Prevention with topical antibiotics, 207
- Maeda Y *see* Chan et al, 213
- Maibach HI *see* Adams and Maibach, 1062 (Special article)
- *see* Lahti and Maibach, 66, 585
- Majeski JT, Niedzwiecki JA: Caution in reconstituting bleomycin, 517 (Correspondence)
- Malinvaud G *see* Bonnetblanc et al, 668 (Correspondence)
- Mandy SH: Evaluation of a new povidone-iodine-impregnated polyethylene oxide gel occlusive dressing, 655 (Dermatologic surgery)
- Maris ML *see* Newton and Maris, 1061 (Correspondence)
- Markham PD *see* James et al, 563
- *see* Redfield et al, 821 (Correspondence)
- Martinez FC *see* Guillén et al, 429
- Marufi M *see* Mehregan et al, 433
- Mascaro JM, Palou J, Vives P: Painful subungual keratotic tumors in incontinentia pigmenti, 913

- Mathes BM *see* Douglass et al, 683 (Correspondence)
 —, Douglass MC: Seborrheic dermatitis in patients with acquired immunodeficiency syndrome, 947
 Mathieu C *see* Viraben et al, 515 (Correspondence)
 Maurer HS *see* Esterly et al, 481 (Clinical review)
 Mayer F *see* Duschet et al, 1057 (Correspondence)
 Mayoral F, Penneys NS: Disseminated histoplasmosis presenting as a transepidermal elimination disorder in an AIDS victim, 842 (Correspondence)
 Medenica M *see* Mehregan et al, 433
 Mehregan AH, Marufi M, Medenica M: Eccrine syringofibroadenoma (Mascaro), 433
 Meltzer MS *see* James et al, 563
 Merino F *see* Leal et al, 337
 Meyrick Thomas RH, Ridley CM, Black MM: Lichen sclerosus et atrophicus associated with systemic lupus erythematosus, 832 (Correspondence)
 Micha JP *see* Silva et al, 457 (Therapy)
 Milburn PB *see* Wishner and Milburn, 1052 (Correspondence)
 Millns JL *see* Wick et al, 134 (Dermatopathology)
 Mitchell AJ *see* Hanno et al, 373
 Miyachi Y, Niwa Y: Thalidomide and oxygen intermediates, 304 (Correspondence)
 Montesano M *see* Balato et al, 824 (Correspondence)
 Morison WL, Hadley TP, Gilchrist BA, Stern RS: Periodic synopsis on photobiology, 143
 Muller SA *see* Greene and Muller, 329
 Muramatsu C, Tanabe E: Urticarial vasculitis: Response to dapsone and colchicine, 1055 (Correspondence)
 Murphy F *see* Hogan et al, 243 (Adverse reactions)

N

- Natarajan S *see* Green et al, 511 (Correspondence)
 Neittaanmäki H: Cold urticaria, 636 (Clinical review)
 Nelson MS *see* Hanno et al, 373
 Neuman KM, Burnett JW: Alopecia associated with syringomas, 528 (Correspondence)
 Newton DE, Maris ML: Response to public educational efforts, 1061 (Correspondence)
 Nieboer C: Lupus erythematosus/lichen planus (LE/LP) overlap syndrome, 297 (Correspondence)
 Niedzwiecki JA *see* Majeski and Niedzwiecki, 517 (Correspondence)
 Niwa Y *see* Miyachi and Niwa, 304 (Correspondence)

O

- O'Keefe EJ, Burke WA, Steinbaugh JR: Diff-Quik stain for Tzanck smears, 148 (Correspondence)
 —, Hayes M: Reply to Epstein E: Persisting Raynaud's phenomenon following intralesional bleomycin treatment of finger warts, 469 (Adverse reactions)
 Ollague W: Gnathostomiasis (nodular migratory eosinophilic panniculitis), 835 (Correspondence)
 Olsen EA: Reply to Baral J: Scalp comedones after topical minoxidil, 1051 (Correspondence)
 —, Weiner MS, Delong ER, Pinnell SR: Topical minoxidil in early male pattern baldness, 185
 Ortega M, Quintana J, Camacho F: Keratosis punctata of the palmar creases, 381
 Ortonne J-P *see* El Baze and Ortonne, 299 (Correspondence)
 Overton-Keary PP *see* Deffer et al, 311 (Correspondence)
 Owen LG *see* Kuhlman et al, 596

P

- Palou J *see* Mascaro et al, 913
 Papasteriades C *see* Economidou et al, 578
 Parker F: Xanthomas and hyperlipidemias, 1, 560 (Correction)
 Patel H *see* Unis et al, 377
 Pavlidakey GP, Hashimoto K, Heller GL, Daneshvar S: Chlorpromazine-induced lupuslike disease, 109 (Adverse reactions)
 Pehamberger H *see* Steiner et al, 1004 (Therapy)
 Penneys NS: Excision of melanoma after initial biopsy, 995
 —, Hicks B: Unusual cutaneous lesions associated with acquired immunodeficiency syndrome, 845 (Special report)
 — *see* Mayoral and Penneys, 842 (Correspondence)
 Person JR: Incontinentia pigmenti: A failure of immune tolerance? 120 (Current issues)
 Peters MS, Su WPD: Balloon cell malignant melanoma, 351
 —, Winkelmann RK: Cytophagic panniculitis and B cell lymphoma, 882
 Pfau RG *see* Unis et al, 377
 Pichardo AR *see* Guillén et al, 429
 Piette WW, Dorsey JK, Foucar E: Clinical and serologic expression of localized scleroderma, 342
 Pinnell SR *see* Olsen et al, 185
 Pittelkow MR *see* Wick et al, 134 (Dermatopathology)
 Pongsomboon C *see* Suvanprakorn et al, 968
 Posner DI, Guill MA III: Cutaneous foreign body granulomas associated with intravenous drug abuse, 869
 Powell FC, Bjornsson J, Doyle JA, Cooper AJ: Genital Paget's disease and urinary tract malignancy, 84
 — *see* Rogers et al, 504 (Periodic synopsis)
 Prasad P *see* Chapel et al, 582
 Provost TT *see* Callen et al, 809 (Periodic synopsis)
 Pullara TJ, Greeson JD, Stoker GL, Fenske NA: Cutaneous segmental neurofibromatosis, 999

Q

- Quintana J *see* Ortega et al, 381

R

- Raab B: Oral acyclovir for genital herpes—cautious optimism, 293 (Editorial)
 — *see* Truhan and Raab, 313 (Correspondence)
 Rabin BS *see* Wolff et al, 604
 Raimer SS, Solomon AR, Daniels JC: Polymyositis presenting with panniculitis, 366
 Rampen FHJ *see* van der Esch and Rampen, 899
 —, van der Esch EP: Reply to Chanda JJ, Callen JP: Adverse effect of melanoma incision, 521 (Correspondence)
 Ramsay CA *see* Haber et al, 252 (Clinical review)
 Ranchoff RE, Taylor JS: Contact dermatitis to anaerobic sealants, 1015 (Clinical review)
 Randle HW *see* Rogers et al, 504 (Periodic synopsis)
 Rapini RP: Gold treatment of pemphigus, 310 (Correspondence)
 —: The algorithmic approach to benign adnexal tumors, 674 (Correspondence)
 Rasmussen JE: Reply to Alexander RC, Schor DP: Most genital warts in children should be reported as possible sexual abuse, 527 (Correspondence)
 Rasmussen SA: Obsessive-compulsive disorder in dermatologic practice, 965
 Ratz JL *see* Bailin and Ratz, 1047 (Correspondence)
 — *see* Kantor et al, 116 (Adverse reactions)
 — *see* Kantor and Ratz, 671 (Correspondence)

- Rebora A, Rongioletti F: Lichen planus and chronic active hepatitis, 150 (Correspondence)
— see Crovato and Rebora, 683 (Correspondence)
Redfield RR, James WD, Wright DC, Brown C, Salahuddin SZ, Markham PD, Samadpour MG, Folks TF, Gallo RC: Severe molluscum contagiosum infection in a patient with human T cell lymphotropic (HTLV-III) disease, 821 (Correspondence)
— see James et al, 563
Reed BR, Clark RAF: Cutaneous tissue repair: Practical implications of current knowledge. II, 919
Reid H see Abel et al, 761
Reitz C see Dinehart et al, 743
Renier CM see Bamford et al, 959
Ridley CM: Electrolysis and epilation, 677 (Correspondence)
— see Meyrick Thomas et al, 832 (Correspondence)
Rivers JK: PAP: A new term for solid palpable lesions of the skin, 1049 (Correspondence)
—, Duke EE, Justus DW: Etretinate: Management of keratoma hereditaria mutilans in four family members, 43
Robinson GV see Levin et al, 590
Rodman OG see James et al, 563
Roennigk HH Jr see Roennigk et al, 153 (Correspondence)
— see Rosenbaum et al, 613 (Therapy)
Roennigk RK, Gibstine C, Roennigk HH Jr: Oral isotretinoin followed by psoralens and ultraviolet A or ultraviolet B for psoriasis, 153 (Correspondence)
Rogers RS III, Randle HW, Powell FC: Oral mucosal diseases, 504 (Periodic synopsis)
Rongioletti F see Rebora and Rongioletti, 150 (Correspondence)
Rosen T: Reply to Burton JL: Quirks of British nomenclature, 842 (Correspondence)
Rosenbaum MM, Roennigk HH Jr, Caro WA, Esker A: Photochemotherapy in cutaneous T cell lymphoma and parapsoriasis en plaques, 613 (Therapy)
Rothenberg IR see Berger et al, 444
Rubin MG, McGoe JW: Heerfordt's syndrome presenting with an erythematous eruption of the lower legs, 314 (Correspondence)
Rudloff HE see Jorizzo et al, 80
Rudolph A see Kalter et al, 235
Rueckl FS see Alper et al, 567
Ruiz-Maldonado R: Acute disseminated epidermal necrosis types 1, 2, and 3: Study of sixty cases, 623 (Clinical review)
Rustin MHA, Staughton RCD, Coomes EN: Hairy cell leukemia and pyoderma gangrenosum, 300 (Correspondence)

S

- Sagebiel RW see Kelly et al, 756
—, Banda PW, Schneider JS, Crutcher WA: Age distribution and histologic patterns of dysplastic nevi, 975
Sakamoto F, Ito M, Sato S, Sato Y: Basal cell tumor with apocrine differentiation: Apocrine epithelioma, 355
Sakas EL, Gentry RH: Porokeratosis punctata palmaris et plantaris (punctata porokeratosis), 908
Salahuddin SZ see James et al, 563
— see Redfield et al, 821 (Correspondence)
Salasche SJ see Winton and Salasche, 1026 (Dermatologic surgery)
Sarma DP, Weillbaecher TG: Molluscum contagiosum in the acquired immunodeficiency syndrome, 682 (Correspondence)
Samadpour MG see James et al, 563
— see Redfield et al, 821 (Correspondence)

- Sato S see Sakamoto et al, 355
Sato Y see Sakamoto et al, 355
Schaberg DR see Silverman et al, 103 (Adverse reactions)
Schachner L, Hankin D: Reply to Alexander RC, Schor DP: Most genital warts in children should be reported as possible sexual abuse, 526 (Correspondence)
Schallreuter KU: An uncommon onset of myeloma, 819 (Correspondence)
Scheffer E see Willemze and Scheffer, 418
Schewach-Millet M see Kahana et al, 832 (Correspondence)
Schleicher SM: Oral isotretinoin and inflammatory bowel disease, 834 (Correspondence)
Schmalstieg FC see Jorizzo et al, 80
Schneider JS see Sagebiel et al, 975
Schor DP see Alexander and Schor, 525 (Correspondence)
Schuman SH, Dobson RL: An outbreak of contact dermatitis in farm workers, 220
Schwarz T see Duschet et al, 1057 (Correspondence)
Sefton J see Horwitz et al, 784
Segreti AC see Levin et al, 590
Sendagorta E see Ledo et al, 1058 (Correspondence)
Sergent JS see Baer et al, 509 (Correspondence)
Serri F: Contemporaries, 323
Shelk JL see Leone and Shelk, 155 (Correspondence); 686 (Correction)
Shelley ED see Shelley and Shelley, 97
Shelley WB, Shelley ED: Uncombable hair syndrome: Observations on response to biotin and occurrence in siblings with ectodermal dysplasia, 97
Shih L-Y see Chan et al, 213
Shtinfeld M see Verner et al, 678 (Correspondence)
Sibley RK see Wick et al, 134 (Dermatopathology)
Silva DG see Silva et al, 457 (Therapy)
Silva J Jr see Ellis et al, 437
Silva PD, Micha JP, Silva DG: Management of condyloma acuminatum, 457 (Therapy)
Silverman AK: Reply to Rivers JK: PAP: A new term for solid palpable lesions of the skin, 1051 (Correspondence)
—, Laing KF, Swanson NA, Schaberg DR: Activation of herpes simplex following dermabrasion, 103 (Adverse reactions)
Silvers DN see Kohn and Silvers, 1046 (Correspondence)
Sindhuphak W, MacDonald E, Head E, Hudson RD: *Exophiala jeikei* infection in a postrenal transplant patient, 877
Smiles KA see Wolff et al, 604
Smith EB see Dinehart et al, 743
Smith JG Jr: Getting involved, 831 (Correspondence)
Smith RG see Wilkerson et al, 229
Sober AJ see Lederman et al, 75
— see Lederman and Sober, 983
Solomon AR Jr see DeCastro et al, 650
— see Green et al, 892
— see Jorizzo et al, 80
— see Raimer et al, 366
Soltani K, Korkij W, Chuang T-Y: Reply to Rebora A, Rongioletti F: Lichen planus and chronic active hepatitis, 150 (Correspondence)
Soto H see Leal et al, 337
Spraker MK see Holzberg et al, 522 (Correspondence)
Spronk CA see Zijdenbos et al, 667 (Correspondence)
Starink TM see Zijdenbos et al, 667 (Correspondence)
Staughton RCD see Rustin et al, 300 (Correspondence)
Steinbaugh JR see O'Keefe et al, 148 (Correspondence)

- Steiner A, Pehamberger H, Wolff K: Sulfone treatment of granuloma annulare, 1004 (Therapy)
- Steinman HK, Greaves MW: Aquagenic pruritus, 91
- Stempler D *see* Kahana et al, 832 (Correspondence)
- Stephens JH: Getting involved, 146 (Editorial)
- Stern RS: Reply to Chan HL, Wong SN, Lo FL: Tetracycline-induced fixed drug eruptions: Influence of dose and structure of tetracyclines, 303 (Correspondence)
- : Reply to Leone GA, Shelk JL: Photochemotherapy (PUVA) and skin cancer, 156 (Correspondence)
- *see* Arndt and Stern, 832 (Correspondence)
- *see* Morison et al, 143 (Periodic synopsis)
- *see* Wintroub and Stern, 167
- Stewart L, Young E, Lim HW: Idiopathic leukonychia totalis and partialis, 157 (Correspondence)
- Stoker GL *see* Pullara et al, 999
- Stratigos J *see* Economidou et al, 578
- Su I-J *see* Chan et al, 213
- Su WPD *see* Finan and Su, 301 (Correspondence)
- *see* Peters and Su, 351
- Subramanyam K *see* Green et al, 892
- Suvanprakorn P, Dee-Ananlap S, Pongsomboon C, Klaus SN: Melanocyte autologous grafting for treatment of leukoderma, 968
- Swanson NA *see* Hanks and Swanson, 1059 (Correspondence)
- *see* Silverman et al, 103 (Adverse reactions)
- Swerlick RA: Photochemotherapy treatment of pruritus associated with polycythemia vera, 675 (Correspondence)

T

- Tagami H *see* Hatchome and Tagami, 828 (Correspondence)
- Takahashi Y *see* Unis et al, 377
- Takeshita M *see* Chan et al, 213
- Tanabe E *see* Muramatsu and Tanabe, 1055 (Correspondence)
- Taylor JS *see* Kantor et al, 116 (Adverse reactions)
- *see* Ranchoff and Taylor, 1015 (Clinical review)
- Taylor RS *see* Jorizzo et al, 80
- Thiers BH: Articles selected from the nondermatologic literature of interest to dermatologists (January-December, 1984), 279 (Annotated bibliography)
- Thomas L *see* Douglass et al, 683 (Correspondence)
- Thomas P *see* Van Neste et al, 685 (Correspondence)
- Thompson JA Jr: Therapy for painful cutaneous leiomyomas, 865
- Thomsen HK *see* Kassis et al, 661 (Correspondence)
- Thomsen K *see* Wantzin and Thomsen, 665 (Correspondence)
- Tindall JP: Chloracne and chloracnogens, 539
- Tomich JM *see* Wagner et al, 311 (Correspondence)
- Toonstra J: Bullosis diabetorum, 799 (Clinical review)
- Trozak DJ: Delayed hypersensitivity to scopolamine delivered by a transdermal device, 247 (Adverse reactions)
- Truhan AP, Raab B: Cimetidine and recurrent genital herpes, 313 (Correspondence)
- Tuffanelli DL *see* Callen et al, 809 (Periodic synopsis)

U

- Unis ME, Pfau RG, Patel H, Takahashi Y, Anhalt GJ: An acquired form of epidermolysis bullosa without immunoreactants, 377

V

- van der Esch EP, Rampen FHJ: Punch biopsy of melanoma, 899
- *see* Rampen and van der Esch, 521 (Correspondence)

- Vanderveen EE: Reply to Baral J: Minoxidil and sudden death, 298 (Correspondence)
- Reply to Feinstein RP: The effect of topical minoxidil on blood pressure, 674 (Correspondence)
- Van Neste D, Caulier B, Thomas P: Reply to Crovato F, Rebora A: PIBI(D)S syndrome: A new entity with defect of the deoxyribonucleic acid excision repair system, 685 (Correspondence)
- Vareltzidis A *see* Economidou et al, 578
- Varla-Leftherioti M *see* Economidou et al, 578
- Verdi G *see* Fowler et al, 645
- Verner E, Shteinfeld M, Zuckerman F: Eczema herpeticum in a patient with Darier's disease during treatment with etretinate, 678 (Correspondence)
- Viraben R, Mathieu C, Fontan B: Benign intracranial hypertension during etretinate therapy for mycosis fungoides, 515 (Correspondence)
- *see* Dupre and Viraben, 837 (Correspondence)
- Vives P *see* Mascaro et al, 913
- Voorhees JJ *see* Ellis et al, 437

W

- Wade TR *see* Holzberg et al, 522 (Correspondence)
- Wagner RF Jr, Tomich JM, Grande DJ: Reply to Goldberg HC: Usefulness of electrolysis, 311 (Correspondence)
- Wantzin GL *see* Kofoed and Wantzin, 50
- , Thomsen K: A new cutaneous side effect of isotretinoin, 665 (Correspondence)
- Ware JC *see* Maddox et al, 207
- Weigand DA: Reply to Duschet P, Schwarz T, Mayer F, Gschnait F: Effect of anatomic location on immunofluorescence in lichen planus, 1057 (Correspondence)
- Weilbaecher TG *see* Sarma and Weilbaecher, 682 (Correspondence)
- Weiner MS *see* Olsen et al, 185
- Wells RS *see* Archer et al, 363
- Weston W *see* Grimwood et al, 768
- Wheeland RG: Reply to O'Keefe EJ, Burke WA, Steinbaugh JR: Diff-Quik stain for Tzanck smears, 148 (Correspondence)
- Wheeler CE Jr: Quality care, costs, market share, and income purposes of the American Academy of Dermatology Blue Ribbon Committee, 853 (Special article)
- Whitman GB *see* Armstrong et al, 772
- Wick MR, Mills JL, Sibley RK, Pittelkow MR, Winkelmann RK: Secondary neuroendocrine carcinomas of the skin, 134 (Dermatopathology)
- Wiemann MC *see* Alper et al, 567
- Wilkerson MG, Henkin J, Wilkin JK, Smith RG: Squaric acid and esters: Analysis for contaminants and stability in solvents, 229
- Wilkin JK: Response to Person JR: Incontinentia pigmenti. A failure of immune tolerance? 123 (Current issues)
- *see* Wilkerson et al, 229
- Wilkinson DS: The Royal Society of Medicine, 837 (Correspondence)
- Willems R, Scheffer E: Clinical and histologic differentiation between lymphomatoid papulosis and pityriasis lichenoides, 418
- Williams ML, Elias PM: Reply to Ackerman AB: Classification of ichthyoses, 1048 (Correspondence)
- Winkelmann RK, Barker SM: Factitial traumatic panniculitis, 988
- *see* McLeod and Winkelmann, 952
- *see* Peters and Winkelmann, 882

- see Wick et al, 134 (Dermatopathology)
Winton GB, Salasche SJ: Wound dressings for dermatologic surgery, 1026 (Dermatologic surgery)
Wintroub BU, Stern R: Cutaneous drug reactions: Pathogenesis and clinical classification, 167
Wishner AJ, Milburn PB: Meclofenamate sodium-induced agranulocytosis and suppression of erythropoiesis, 1052 (Correspondence)
Wolf JE Jr see Dinehart et al, 743
Wolff JM, Zitelli JA, Rabin BS, Smiles KA, Abell E: Intralesional interferon in the treatment of early mycosis fungoides, 604
Wolff K see Steiner et al, 1004 (Therapy)
Wong RC see Ellis and Wong, 525 (Correspondence)
Wong SN see Chan et al, 302 (Correspondence)
Wood C see Abel et al, 761
Wright DC see Redfield et al, 821 (Correspondence)

Subject index

A

- Acid, squaric, and esters: analysis for contaminants and stability in solvents (Wilkerson et al), 229
Acne vulgaris, resistant, oral ibuprofen and minocycline for treatment of (Funt), 524 (Correspondence)
reply (Ellis and Wong), 525 (Correspondence)
Acquired immunodeficiency disease, yellow nail syndrome in patients with (Chernosky and Finley), 731
syndrome, seborrheic dermatitis in patients with (Mathes and Douglass), 947
unusual cutaneous lesions associated with (Penneys and Hicks), 845 (Special report)
Acrodermatitis and Leiner's disease, patient with Netherton's syndrome previously diagnosed as having (Greene and Muller), 329
Acropustulosis, infantile, with eosinophilia (Falanga), 826 (Correspondence)
Acyclovir, oral, for genital herpes—cautious optimism (Raab), 293 (Editorial)
treatment, topical, of herpes zoster in immunocompromised patients (Levin et al), 590
Adnexal tumors, benign, algorithmic approach to (Rapini), 674 (Correspondence)
reply (Brown and Ariano), 675 (Correspondence)
Afzelius and Lipschütz; erythema chronicum migrans (Holubar), 663 (Correspondence)
Age and clinical expression of disease, relation to, of human lymphocyte antigens A, B, and C in Greek patients with psoriasis (Economidou et al), 578
distribution and histologic patterns of dysplastic nevi (Sagebiel et al), 975

July, pp. 1-166; August, part 1, pp. 167-328; August, part 2, pp. 329-382; September, pp. 383-538; October, pp. 539-700; November, part 1, pp. 701-864; November, part 2, pp. 865-918; December, pp. 919-1100.

Y

- Yaffee HS: Trauma and pustular psoriasis, 1055 (Correspondence)
Yancey KB see Bielory et al, 411
Yarbrough CL see McCallister et al, 598
Young E see Stewart et al, 157 (Correspondence)
Young NS see Bielory et al, 411

Z

- Zaia JA see Levin et al, 590
Zeidenbaum M see Aram and Zeidenbaum, 897
Zijdenbos LM, Starink TM, Spronk CA: Ulcerative lichen planus with associated sicca syndrome and good therapeutic result of skin grafting, 667 (Correspondence)
Zitelli JA see Wolff et al, 604
Zuckerman F see Verner et al, 678 (Correspondence)

- Agranulocytosis, meclofenamate sodium-induced, and suppression of erythropoiesis (Wishner and Milburn), 1052 (Correspondence)
AIDS victim, disseminated histoplasmosis presenting as transepidermal elimination disorder in (Mayoral and Penneys), 842 (Correspondence)
Algorithmic approach to benign adnexal tumors (Rapini), 674 (Correspondence)
reply (Brown and Ariano), 675 (Correspondence)
Allergic contact dermatitis, acute, from diazolidinyl urea (Germal II) in hair gel (Kantor et al), 116 (Adverse reactions)
to "silver oak" wooden arm bracelets (Hoffman et al), 778
Alopecia associated with syringomas (Neuman and Burnett), 528 (Correspondence)
American Academy of Dermatology Blue Ribbon Committee, quality care, costs, market share, and income purposes of (Wheeler), 853 (Special article)
43rd Annual Meeting, Washington, DC, Dec. 1-6, 1984 (Grekin) 317
getting involved in affairs of (Stephens), 146 (Editorial)
involvement of members in activities of; getting involved (Smith), 831 (Correspondence)
task forces, committees, and councils listed in 1985-1986 Academy Directory; getting involved (Smith), 831 (Correspondence)
Anaerobic sealants, contact dermatitis to (Ranchoff and Taylor), 1015 (Clinical review)
Anatomic location, effect of, on immunofluorescence in lichen planus (Duschet et al), 1057 (Correspondence)
reply (Weigand), 1057 (Correspondence)
Angioendotheliomatosis associated with histiocytic lymphoma (Lim and Anderson), 903
Angiolymphoid hyperplasia with eosinophilia, treatment of (Bonnetblanc et al), 668 (Correspondence)

- Animal model, variables affecting results of xenogenic collagen implantation in (Grosh et al), 792
- Ankle, ganglion of (Macpherson et al), 873
- Annotated bibliography for dermatologists, 279
- Anogenital warts; management of condyloma acuminatum (Silva et al), 457 (Therapy)
- Anthralin therapy, short-contact, addition of, to ultraviolet B phototherapy regimen: assessment of efficacy (Lebwohl et al), 780
- Antibiotics, topical, prevention and natural history of streptococcal skin infection (Maddox et al), 207
- Antibodies, monoclonal, diagnostic use of; cutaneous B cell lymphoma (Hanno et al), 373
to neurofilament and myelin proteins, immunohistochemical studies of selected skin diseases and tumors using (Aso et al), 37
- Antigens A, B, and C, human lymphocyte, in Greek patients with psoriasis: relation to age and clinical expression of disease (Economidou et al), 578
- Aphthosis, complex; forme fruste of Behçet's syndrome? (Jorizzo et al), 80
oral, significant response of, to thalidomide treatment (Brodthagen), 509 (Correspondence)
reply (Grinspan), 509 (Correspondence)
- Aplasia cutis congenita (Guillén et al), 429
- Apocrine differentiation, basal cell tumor with: apocrine epithelioma (Sakamoto et al), 355
- Aquagenic pruritus (Steinman and Greaves), 91
- Areola, nipple, hyperkeratosis of (Kuhlman et al), 596
- Areolar sebaceous hyperplasia (Catalano and Ioannides), 867
- Aromatic compounds, halogenated, chloracne resulting from poisoning by (Tindall), 539
- Atherosclerosis, vascular, and hyperlipoproteinemia resulting from primary genetic disorders and numerous secondary conditions; xanthomas and hyperlipidemias (Paraker), 1
- Atlas of Skin Repair*, book review on (Field), 831 (Correspondence)
- Atopic dermatitis, papaverine therapy in (Baer), 806 (Therapy)
eczema unresponsive to evening primrose oil (linoleic and γ -linolenic acids (Bamford et al), 959
- Atypia, PUVA-induced melanocytic: is it confined to PUVA lentiginos? (Abel et al), 761
- B**
- Baldness, early male pattern, topical minoxidil in (Olsen et al), 185
- Balloon cell malignant melanoma (Peters and Su), 351
- Basal cell tumor with apocrine differentiation: apocrine epithelioma (Sakamoto et al), 355
- Behçet's syndrome, complex aphthosis forme fruste of? (Jorizzo et al), 80
- Biologic considerations, basic, in cutaneous tissue repair (Clark), 701
- Biopsy, initial, excision of melanoma after (Penneys), 995
type, does it influence survival in clinical Stage I cutaneous melanoma? (Lederman and Sober), 983
- Biotin, observations on response of uncombable hair syndrome to, and occurrence in siblings with ectodermal dysplasia (Shelley and Shelley), 97
- Bleomycin, caution in reconstituting (Majeski and Niedzwiecki), 517 (Correspondence)
intrapleural, flagellate pigmentation from (Fernandez-Obregon et al), 464 (Adverse reactions)
- Bleomycin—cont'd
treatment, intralesional, of finger warts, persisting Raynaud's phenomenon following (Epstein), 468 (Adverse reactions)
reply (O'Keefe and Hayes; Bovenmeyer), 469, 470 (Adverse reactions)
- Blood pressure, effect of topical minoxidil on (Feinstein), 673 (Correspondence)
reply (Vanderveen), 674 (Correspondence)
- Blue Ribbon Committee, American Academy of Dermatology, quality care, costs, market share, and income purposes of (Wheeler), 853 (Special article)
- Book reviews, 164, 320, 537, 699, 863, 1070
- Bowel disease, inflammatory, oral isotretinoin and (Schleicher), 834 (Correspondence)
- Bracelets, "silver oak" wooden arm, allergic contact dermatitis to (Hoffman et al), 778
- British nomenclature, quirks of (Burton), 841 (Correspondence)
replies (Graham-Brown; Rosen), 841; 842 (Correspondence)
- Bronchial carcinoid, malignant, with multiple cutaneous metastases (Archer et al), 363
- Bronchoconstriction, exercise-induced, related to isotretinoin therapy (Fisher), 524 (Correspondence)
- Bullosis diabetiformis (Toonstra), 799 (Clinical review)
- Bullous diseases, coexistence of psoriasis vulgaris and (Grunwald et al), 224
lichen planus after intravenous pyelography (Grunwald et al), 512 (Correspondence)
- C**
- Cancer, skin, photochemotherapy (PUVA) and (Leone and Shelk), 155 (Correspondence)
reply (Stern), 156 (Correspondence)
- Canthaxanthin—"tanning" pill (Lober), 660 (Editorial)
- Carcinoid, metastatic cutaneous (Archer et al), 363
- Carcinoma(s), cervical, close association of genital human papillomavirus infections with; management of condyloma acuminatum (Silva et al), 457 (Therapy)
esophageal, erythroderma secondary to (Deffer et al), 311 (Correspondence)
of skin, secondary neuroendocrine (Wick et al), 134 (Dermatopathology)
- Caripito itch: dermatitis from contact with *Hyleisia* moths (Dinehart et al), 743
- Cells, immature lymphoid, epidermal basal keratinocytes, and other epithelial cells, membrane protein preferentially expressed by subpopulation of (Gottlieb et al), 54
—, other epithelial, immature lymphoid, and epidermal basal keratinocytes, membrane protein preferentially expressed by subpopulation of (Gottlieb et al), 54
- Cellulitis, eosinophilic (Wells' syndrome) (Hollander), 664 (Correspondence)
- Chancres, extragenital syphilitic (Chapel et al), 582
- Chédiak-Higashi syndrome in Venezuelan black child (Leal et al), 337
- Chemotherapy, high-dose, applicability of, with autologous marrow transplantation for malignant melanoma (Koh), 518 (Correspondence)
reply (Kessinger), 519 (Correspondence)
rationally designed combination, for treatment of patients with recalcitrant psoriasis (Alper et al), 567
- Chloracne and chloracnogens (Tindall), 539

Chlorpromazine-induced lupuslike disease (Pavliakay et al), 109 (Adverse reactions)
Cholestatic jaundice, unusual side effect of etretinate (Gavish et al), 669 (Correspondence)
Cholesterol emboli, multiple, livedo reticularis due to (Kalter et al), 235
Cimetidine and recurrent genital herpes (Truhan and Raab), 313 (Correspondence)
Colchicine and dapsone, response of urticarial vasculitis to (Mura-matsu and Tanabe), 1055 (Correspondence)
 is effective in controlling chronic cutaneous leukocytoclastic vasculitis (Callen), 193
Cold urticaria (Neittaanmäki), 636 (Clinical review)
Collagen implantation, xenogenic, variables affecting results of, in animal model (Grosh et al), 792
 vascular disease, coexistent, unique case of sarcoidosis with (Aron-son et al), 886
 periodic synopsis on (Callen et al), 809 (Periodic synopsis)
Comedones, scalp, after topical minoxidil (Baral), 1051 (Correspondence)
 reply (Olsen), 1051 (Correspondence)
Condyloma acuminatum, management of (Silva et al), 457 (Therapy)
Congenital smooth muscle nevus with follicular spotted appearance (Dupre and Viraben), 837 (Correspondence)
Consanguinity index high in Venezuelan village of black child with Chédiak-Higashi syndrome (Leal et al), 337
Contact dermatitis, allergic, to "silver oak" wooden arm bracelets (Hoffman et al), 778
 to anaerobic sealants (Ranchoff and Taylor), 1015 (Clinical review)
 outbreak of, in farm workers (Schuman and Dobson), 220
 urticaria agents, nonimmunologic, long refractory period after one application of, to guinea pig ear (Lahti and Maibach), 585
Contemporaries, 323
Continuing medical education examination, 31, 180, 405, 559, 726, 942
 answers, 30, 182, 408, 558, 728, 944
Correction to Leone G, Shelk JL: Letter to Editor (13:155-156, 1985), 686
Liesegang TJ: The varicellazoster virus: systemic and ocular features (11:165-191, 1984), 34
Parker F: Xanthomas and hyperlipidemias (13:1-30, 1985), 560
 report by Menkes, Stern, and Arndt (Levine), 831 (Correspondence)
 reply (Arndt and Stern), 832 (Correspondence)
Corticosteroid(s), systemic, dermatitis herpetiformis responsive to (Lang), 513 (Correspondence)
 tape, occlusive, isotretinoin-associated granulation tissue treated with (Azulay and Azulay-Abulafia), 670, 837 (Correspondence)
 topically applied, addition of, to modified Goeckerman regimen for treatment of psoriasis: effect on duration of remission (Horwitz et al), 784
Cosmetic reactions, five-year study of (Adams and Maibach), 1062 (Special article)
Current issues, 120
Cutaneous B cell lymphoma: diagnostic use of monoclonal antibodies (Hanno et al), 373
 carcinoid, metastatic (Archer et al), 363
 drug reactions: pathogenesis and clinical classification (Wintroub and Stern), 167

Cutaneous—cont'd
 implications in Oliver Goldsmith's *The Vicar of Wakefield* (Caplan), 1075 (Commentary)
 leiomyomas, therapy for (Thompson), 865
 lesions, unusual, associated with acquired immunodeficiency syndrome (Penneys and Hicks), 845 (Special report)
 manifestations of adult T cell leukemia/lymphoma (Chan et al), 213
 of serum sickness in patients receiving antithymocyte globulin (Bielory et al), 411
 melanoma, clinical Stage I, does biopsy type influence survival in? (Lederman and Sober), 983
 nocardiosis (Kalb et al), 125 (Clinical review)
 non-X histiocytosis: clinical and histologic features and response to dermabrasion (Fowler et al), 645
 periarteritis nodosa, benign, with nail defects (Kassiss et al), 661 (Correspondence)
 segmental neurofibromatosis (Pullara et al), 999
 side effect of isotretinoin, new (Wantzin and Thomsen), 665 (Correspondence)
 T cell lymphoma and parapsoriasis en plaques, photochemotherapy in: long-term follow-up in forty-three patients (Rosenbaum et al), 613 (Therapy)
 tissue repair: basic biologic considerations. I (Clark), 701
 practical implications of current knowledge. II (Reed and Clark), 919
Cytophagic panniculitis and B cell lymphoma (Peters and Winkelmann), 882
Cytoplasm, eccrine gland clear reticulated (Burket et al), 497 (Dermatopathology)

D

Dapsone and colchicine, response of urticarial vasculitis to (Mura-matsu and Tanabe), 1055 (Correspondence)
 is safe during pregnancy (Kahn), 838 (Correspondence)
 reply (Lang), 839 (Correspondence)
Darier's disease associated with juvenile canities (Brenner and Ilie), 840 (Correspondence)
 basal keratinocyte herniations in (Heng and Kloss), 307 (Correspondence)
 eczema herpeticum in patient with, during treatment with etretinate (Verner et al), 678 (Correspondence)
Death, sudden, and minoxidil (Baral), 297 (Correspondence)
 reply (Vanderveen), 298 (Correspondence)
Deoxyribonucleic acid excision repair system, PIBI(D)S syndrome, new entity with defect of (Crovato and Rebora), 683 (Correspondence)
 replies (Van Neste et al; Jorizzo), 685; 686 (Correspondence)
 single-stranded, presence of correlating strongly with discoid lupus erythematosus (Callen et al), 748
Dermabrasion, activation of herpes simplex following (Silverman et al), 103 (Adverse reactions)
 clinical and histologic features of cutaneous non-X histiocytosis and response to (Fowler et al), 645
 facial, survey of refrigeration and surgical technics used for (Dzubow), 287 (Dermatologic surgery)
Dermatitis, allergic contact, from diazolidinyl urea (Germal II) in hair gel (Kantor et al), 116 (Adverse reactions)
 to "silver oak" wooden arm bracelets (Hoffman et al), 778

Dermatitis—cont'd

- atopic, papaverine therapy in (Baer), 806 (Therapy)
- contact, to anaerobic sealants (Ranchoff and Taylor), 1015 (Clinical review)
 - outbreak of, in farm workers (Schuman and Dobson), 220
- from contact with *Hylesia* moths; Caripito itch (Dinehart et al), 743
- herpetiformis responsive to systemic corticosteroids (Lang), 513 (Correspondence)
- seborrheic, in patients with acquired immunodeficiency syndrome (Mathes and Douglass), 947
- Dermatohistopathology, power analysis in (Lambert and Lambert), 501 (Dermatopathology)
- Dermatologic practice, obsessive-compulsive disorder in (Rasmussen), 965
 - surgery, dermatology in (Castrow), 1059 (Correspondence)
 - replies (Hanke and Swanson; Dobson), 1059; 1060 (Correspondence)
 - wound dressings for (Winton and Salasche), 1026 (Dermatologic surgery)
- Dermatology, magnifiers in: personal survey (Epstein), 687 (Special article)
- Dermatophagoides schermetewskyi*, unusual mite, feather pillow dermatitis caused by (Aylesworth and Baldrige), 680 (Correspondence)
- Diabetic patient, male, with recurrent bullous lesions restricted to hands; bullous diabeticorum (Toonstra), 799 (Clinical review)
- Diazolidinyl urea (Germal II) in hair gel, acute allergic contact dermatitis from (Kantor et al), 116 (Adverse reactions)
- Diff-Quik stain for Tzanck smears (O'Keefe et al), 148 (Correspondence)
 - reply (Wheeland), 148 (Correspondence)
- Discoid lupus erythematosus, serologic and clinical features of patients with; relationship of antibodies to single-stranded deoxyribonucleic acid and of other antinuclear antibody subsets to clinical manifestations (Calen et al), 748
- Disease(s), bullous, coexistence of psoriasis vulgaris and (Grunwald et al), 224
 - oral mucosal (Rogers et al), 504 (Periodic synopsis)
 - skin, and tumors, selected, immunohistochemical studies of, using monoclonal antibodies to neurofilament and myelin proteins (Aso et al), 37
 - sui generis, variant form of lymphomatoid papulosis; eosinophilic histiocytosis (McLeod and Winkelmann), 952
- Doxepin in treatment of chronic urticaria (Ledo et al), 1058 (Correspondence)
 - reply (Greene), 1058 (Correspondence)
- Dressing, povidone-iodine-impregnated polyethylene oxide gel occlusive, new, evaluation of (Mandy), 655 (Dermatologic surgery)
- Drug abuse, intravenous, cutaneous foreign body granulomas associated with (Posner and Guill), 869
 - eruptions, tetracycline-induced fixed: influence of dose and structure of tetracyclines (Chan et al), 302 (Correspondence)
 - replies (Stern; Bargman), 303 (Correspondence)
 - induced pancreatitis presenting as subcutaneous fat necrosis (Detlefs), 305 (Correspondence)
 - reactions, cutaneous: pathogenesis and clinical classification (Wintrob and Stern), 167

- Dysplastic nevi, age distribution and histologic patterns of (Sagebiel et al), 975

E

- Eccrine gland clear reticulated cytoplasm (Burket et al), 497 (Dermatopathology)
 - syringofibroadenoma (Mascaro), (Mehregan et al), 433
- Ecthyma gangrenosum (El Baze and Ortonne), 299 (Correspondence)
 - reply (Greene), 299 (Correspondence)
- Ectodermal dysplasia, occurrence of uncombable hair syndrome in siblings with; observations on response to biotin and (Shelley and Shelley), 97
- Eczema, atopic, unresponsive to evening primrose oil (linoleic and γ -linolenic acids) (Bamford et al), 959
 - herpeticum in patient with Darier's disease during treatment with etretinate (Verner et al), 678 (Correspondence)
- Educational efforts, public response to (Newton and Maris), 1061 (Correspondence)
- Electrolysis and epilation (Ridley), 677 (Correspondence)
 - usefulness of (Goldberg), 310 (Correspondence)
 - reply (Wagner et al), 311 (Correspondence)
- Emboli, multiple cholesterol, livedo reticularis due to (Kalter et al), 235
- Eosinophilia, infantile acropustulosis with (Falanga), 826 (Correspondence)
 - treatment of angiolymphoid hyperplasia with (Bonnetblanc et al), 668 (Correspondence)
- Eosinophilic cellulitis (Wells' syndrome) (Hollander), 664 (Correspondence)
 - histiocytosis: variant form of lymphomatoid papulosis or disease sui generis? (McLeod and Winkelmann), 952
- Epidermal necrosis types 1, 2, and 3, acute disseminated: study of sixty cases (Ruiz-Maldonado), 623 (Clinical review)
- Epidermolysis bullosa, acquired form of, without immunoreactants (Unis et al), 377
 - hereditary (Haber et al), 252 (Clinical review)
- Epilation, electrolysis and (Ridley), 677 (Correspondence)
- Epithelioma, apocrine; basal cell tumor with apocrine differentiation (Sakamoto et al), 355
- Eruption, erythematous, of lower legs, Heerfordt's syndrome presenting with (Rubin and McGoe), 314 (Correspondence)
 - papular, associated with human T cell lymphotropic virus type III disease (James et al), 563
- Erythema annulare centrifugum associated with piroxicam (Hogan and Block), 840 (Correspondence)
 - chronicum migrans: Afzelius and Lipschütz (Holubar), 663 (Correspondence)
 - isolation and characterization of Lyme disease spirochete from skin of patients with (Berger et al), 444
 - potential hazards in phototherapy with ultraviolet radiation arising from variation in dose required to produce (Armstrong et al), 772
- Erythroderma secondary to esophageal carcinoma (Deffer et al), 311 (Correspondence)
- Erythropeiosis, meclofenamate sodium-induced agranulocytosis and suppression of (Wishner and Milburn), 1052 (Correspondence)
- Esters, squaric acid and: analysis for contaminants and stability in solvents (Wilkerson et al), 229
- Etretinate, cholestatic jaundice unusual side effect of (Gavish et al), 669 (Correspondence)

Etretinate—cont'd

- eczema herpeticum in patient with Darier's disease during treatment with (Verner et al), 678 (Correspondence)
- management of keratoma hereditaria mutilans in four family members (Rivers et al), 43
- therapy for mycosis fungoides, benign intracranial hypertension during (Viraben et al), 515 (Correspondence)
 - reduces polymorphonuclear leukocyte chemotaxis—enhancing properties of psoriatic serum (Ellis et al), 437
- (Tigason, Europe; Tegison, USA) in psoriasis: advantages of low doses progressively increased (Dubertret), 830 (Correspondence)
 - reply (Ellis), 830 (Correspondence)
- Evening primrose oil, atopic eczema unresponsive to (linoleic and γ -linolenic acids (Bamford et al), 959
- Examination, complete skin, crucial importance of (Kaminester), 150 (Correspondence)
 - replies (Epstein; Arundell), 151; 153 (Correspondence)
- Excision repair system, deoxyribonucleic acid, PIBI(D)S syndrome new entity with defect of (Crovato and Rebora), 683 (Correspondence)
 - replies (Van Neste et al; Jorizzo), 685; 686 (Correspondence)
- Exercise-induced bronchoconstriction related to isotretinoin therapy (Fisher), 524 (Correspondence)
- Exophiala jeanselmei* infection in a postrenal transplant patient (Sindhuphak et al), 877

F

- Familial lichen planus (Kofoed and Wantzin), 50
- Farm workers, outbreak of contact dermatitis in (Schuman and Dobson), 220
- Fasciitis, eosinophilic, and linear scleroderma (Piette et al), 342
- Fat necrosis, subcutaneous, drug-induced pancreatitis presenting as (Detlefs), 305 (Correspondence)
- Feather pillow dermatitis caused by unusual mite, *Dermatophagoides schermetewskyi* (Aylesworth and Baldrige), 680 (Correspondence)

G

- Ganglion of ankle (Macpherson et al), 873
- Gauze technic, moistened, to aid in diagnosis of tinea capitis (Borchers), 672 (Correspondence)
- Genetic characteristics of aplasia cutis congenita (Guillén et al), 429 disorders leading to hyperlipoproteinemia; xanthomas and hyperlipidemias (Parker), 1
 - predisposition to lupus erythematosus and other dermatologic disorders, HLA and (Arnett), 472 (Clinical review)
- Genital herpes, recurrent, cimetidine and (Truhan and Raab), 313 (Correspondence)
 - warts, most, in children should be reported as possible sexual abuse (Alexander and Schor), 525 (Correspondence)
 - replies (Schachner and Hankin; Rasmussen), 526; 527 (Correspondence)
- Germal II (diazolidinyl urea) in hair gel, acute allergic contact dermatitis from (Kantor et al), 116 (Adverse reactions)
- Glans penis, acquired phlebotactasia of (Balato et al), 824 (Correspondence)
- Globulin, antithymocyte, cutaneous manifestations of serum sickness in patients receiving (Bielory et al), 411
- Gnathostomiasis (nodular migratory eosinophilic panniculitis) (Olague), 835 (Correspondence)

- Goeckerman regimen, modified, addition of topically applied corticosteroid to, for treatment of psoriasis: effect on duration of remission (Horwitz et al), 784
- Gold treatment of pemphigus (Rapini), 310 (Correspondence)
- Goldsmith, Oliver, *The Vicar of Wakefield*, cutaneous implications in (Caplan), 1075 (Commentary)
- Gout, tophaceous, coexistent systemic lupus erythematosus and (DeCastro et al), 650
- Grafting, melanocyte autologous, for treatment of leukoderma (Suvanprakorn et al), 968
- Granulation tissue, isotretinoin-associated, treated with occlusive corticosteroid tape (Azulay and Azulay-Abulafia), 670 (Correspondence)
 - reply (Grekin and Ellis), 670 (Correspondence)
- Granuloma(s) annular, sulfone treatment of (Steiner et al), 1004 (Therapy)
 - cutaneous foreign body, associated with intravenous drug abuse (Posner and Guill), 869
 - eosinophilic; histiocytic syndromes (Gianotti and Caputo), 386
- Greek patients with psoriasis, human lymphocyte antigens A, B, and C in: relation to age and clinical expression of disease (Economidou et al), 578
- Guinea pig ear, long refractory period after one application of non-immunologic contact urticaria agents to (Lahti and Maibach), 585
 - rat, and mouse; species specificity of nonimmunologic contact urticaria (Lahti and Maibach), 66

H

- Hair syndrome, uncombable; observations on response to biotin and occurrence in siblings with ectodermal dysplasia (Shelley and Shelley), 97
- Hairy cell leukemia and pyoderma gangrenosum (Rustin et al), 300 (Correspondence)
 - reply (Finan and Su), 301 (Correspondence)
- Halogenated aromatic compounds, chloracne resulting from poisoning by (Tindall), 539
- Hamartoma of neural origin (Kohn and Silvers), 1046 (Correspondence)
 - reply (Bailin and Ratz), 1047 (Correspondence)
- Hand-Schuller-Christian disease; histiocytic syndromes (Gianotti and Caputo), 385
- Healing, wound, brief history of; cutaneous tissue repair (Reed and Clark), 919
- Heerfordt's syndrome presenting with erythematous eruption of lower legs (Rubin and McGoe), 314 (Correspondence)
- Hepatic metastases, multiple; metastatic cutaneous carcinoid (Archer et al), 363
- Hepatitis, chronic active, and lichen planus (Rebora and Rongioletti), 15 (Correspondence)
 - reply (Soltani et al), 150 (Correspondence)
 - persistent, and pyoderma gangrenosum (Green et al), 892
- Hepatotoxicity and leukonychia, trazodone-induced (Longstreth and Hershtman), 149 (Correspondence)
- Hereditary epidermolysis bullosa (Haber et al), 252 (Clinical review)
 - malignant melanoma—conceptual differences (Fusaro and Lynch), 833 (Correspondence)
 - reply (Headington), 834 (Correspondence)
- Herniations, basal keratinocyte, in Darier's disease (Heng and Kloss), 307 (Correspondence)

- Herpes, genital, oral acyclovir for—cautious optimism (Raab), 293 (Editorial)
- recurrent genital, cimetidine and (Truhan and Raab), 313 (Correspondence)
- simplex following dermabrasion, activation of (Silverman et al), 103 (Adverse reactions)
- zoster, topical acyclovir treatment of, in immunocompromised patients (Levin et al), 590
- Hirsutism and testosterone, circulating, source of (Baker), 160 (Correspondence)
- reply (Krusinski), 160 (Correspondence)
- Histiocytic syndromes: review (Gianotti and Caputo), 383
- Histiocytoma, generalized eruptive; histiocytic syndromes (Gianotti and Caputo), 394
- Histiocytosis, benign cephalic; histiocytic syndromes (Gianotti and Caputo), 391
- cutaneous non-X: clinical and histologic features and response to dermabrasion (Fowler et al), 645
- eosinophilic: variant form of lymphomatoid papulosis or disease sui generis? (McLeod and Winkelmann), 952
- non-X; histiocytic syndromes (Gianotti and Caputo), 390
- progressive nodular; histiocytic syndromes (Gianotti and Caputo), 401
- X; histiocytic syndromes (Gianotti and Caputo), 383
- nail pathology in (Holzberg et al), 522 (Correspondence)
- seven-year experience at children's hospital (Esterly et al), 481 (Clinical review)
- Histoplasmosis, disseminated, presenting as transepidermal elimination disorder in AIDS victim (Mayoral and Penneys), 842 (Correspondence)
- HLA and genetic predisposition to lupus erythematosus and other dermatologic disorders (Arnett), 472 (Clinical review)
- Horns, cutaneous, of penis; approach to management (Lowe and McCullough), 369
- HTLV-III (human T cell lymphotropic) disease, severe molluscum contagiosum infection in patient with (Redfield et al), 821 (Correspondence)
- Hyletia* moths, dermatitis from contact with; Caripito itch (Dinehart et al), 743
- Hyperkeratoses of forearms associated with chronic lung disease (Kaufman and Kaufman), 681 (Correspondence)
- of nipple areola (Kuhlman et al), 596
- palmoplantar, in mycosis fungoides (Aram and Zeidenbaum), 897
- Hyperlipidemias and xanthomas (Parker), 1
- Hypernephroma, occult, extramammary Paget's disease and (Chanda), 1053 (Correspondence)
- Hyperplasia, angiolymphoid, with eosinophilia, treatment of (Bonnetblanc et al), 668 (Correspondence)
- areolar sebaceous (Catalano and Ioannides), 867
- Hypersensitivity, delayed, to scopolamine delivered by transdermal device (Trozak), 247 (Adverse reactions)
- Hypertension, benign intracranial, during etretinate therapy for mycosis fungoides (Viraben et al), 515 (Correspondence)
- Hypopyon-iridocyclitis as complication of pustular psoriasis (Hatchome and Tagami), 828 (Correspondence)
- I
- Ibuprofen, oral, and minocycline for treatment of resistant acne vulgaris (Funt), 524 (Correspondence)
- reply (Ellis and Wong), 525 (Correspondence)
- Ichthyoses, classification of (Ackerman), 1047 (Correspondence)
- reply (Williams and Elias), 1048 (Correspondence)
- Idiopathic leukonychia totalis and partialis (Stewart et al), 157 (Correspondence)
- reply (Daniel), 158 (Correspondence)
- Immune tolerance, failure of; incontinentia pigmenti (Person), 120 (Current issues)
- response (Wilkin), 123 (Current issues)
- Immunocompromised patients, topical acyclovir treatment of herpes zoster in (Levin et al), 590
- Immunodeficiency disease, acquired, yellow nail syndrome in patients with (Chernosky and Finley), 731
- syndrome, acquired, molluscum contagiosum in (Sarma and Weilbaeher), 682 (Correspondence)
- reply (Douglass et al), 683 (Correspondence)
- seborrheic dermatitis in patients with (Mathes and Douglass), 947
- unusual cutaneous lesions associated with (Penneys and Hicks), 845 (Special report)
- Immunofluorescence, effect of anatomic location on, in lichen planus (Duschet et al), 1057 (Correspondence)
- reply (Weigand), 1057 (Correspondence)
- Immunofluorescent staining, direct and indirect, simple and improved method for (Grimwood et al), 768
- Immunohistochemical studies of selected skin diseases and tumors using monoclonal antibodies to neurofilament and myelin proteins (Aso et al), 37
- Immunologic organ, skin as (Katz), 530 (Special article)
- Immunoreactants, acquired form of epidermolysis bullosa without (Unis et al), 377
- Immunosuppression: cause of porokeratosis? (Lederman et al), 75
- Implantation, xenogenic collagen, variables affecting results of, in animal model (Grosh et al), 792
- Incision, melanoma, adverse effect of (Chanda and Callen), 519 (Correspondence)
- reply (Rampen and van der Esch), 521 (Correspondence)
- Incontinentia pigmenti: failure of immune tolerance? (Person), 120 (Current issues)
- response (Wilkin), 123 (Current issues)
- painful subungual keratotic tumors in (Mascaro et al), 913
- Infantile acropustulosis with eosinophilia (Falanga), 826 (Correspondence)
- Infection, *Exophiala jeikei*, in postrenal transplant patient (Sindhuapak et al), 877
- molluscum contagiosum, severe, in patient with human T cell lymphotropic (HTLV-III) disease (Redfield et al), 821 (Correspondence)
- streptococcal skin, natural history of; prevention with topical antibiotics (Maddox et al), 207
- Inflammatory bowel disease, oral isotretinoin and (Schleicher), 834 (Correspondence)
- Interferon, intralesional, in treatment of early mycosis fungoides (Wolff et al), 604
- Iodine-povidone-impregnated polyethylene oxide gel occlusive dressing, evaluation of (Mandy), 655 (Dermatologic surgery)
- Iridocyclitis, hypopyon-, as complication of pustular psoriasis (Hatchome and Tagami), 828 (Correspondence)
- Isolation and characterization of Lyme disease spirochete from skin of patients with erythema chronicum migrans (Berger et al), 444

- Isotretinoin-associated granulation tissue treated with occlusive corticosteroid tape (Azulay and Azulay-Abulafia), 670, 837 (Correspondence)
reply (Grekin and Ellis), 670 (Correspondence)
Isotretinoin, atypical pyoderma as side effect of (Elpern), 1045 (Correspondence)
new cutaneous side effect of (Wantzin and Thomsen), 665 (Correspondence)
oral, followed by psoralens and ultraviolet A or ultraviolet B for psoriasis (Roeningk et al), 153 (Correspondence)
and inflammatory bowel disease (Schleicher), 834 (Correspondence)
therapy, exercise-induced bronchoconstriction related to (Fisher), 524 (Correspondence)

J

- Jaundice, cholestatic, unusual side effect of etretinate (Gavish et al), 669 (Correspondence)
Juvenile canities, Darier's disease associated with (Brenner and Ilie), 840 (Correspondence)

K

- Keratinocytes, epidermal basal, immature lymphoid cells, and other epithelial cells, membrane protein preferentially expressed by subpopulation of (Gottlieb et al), 54
Keratoma hereditaria mutilans in four family members, management of; etretinate (Rivers et al), 43
Keratosis, multiple benign lichenoid, simulating photodermatoses: evolution from senile lentiginos and their spontaneous regression (Barranco), 201
Keratosis punctata of palmar creases (Ortega et al), 381
Ketoconazole, response of cutaneous lesions of Reiter's syndrome to (Leshner and Chalker), 161 (Correspondence)

L

- Leiner's disease and acrodermatitis enteropathica, patient with Netherton's syndrome previously diagnosed as having (Greene and Muller), 329
Leiomyomas, cutaneous, therapy for (Thompson), 865
Lentiginos, senile, and their spontaneous regression, evolution of multiple benign lichenoid keratoses simulating photodermatoses from (Barranco), 201
Letterer-Siwe disease; histiocytic syndromes (Gianotti and Caputo), 385
Leukemia, hairy cell, and pyoderma gangrenosum (Rustin et al), 300 (Correspondence)
reply (Finan and Su), 301 (Correspondence)
/lymphoma, adult T cell, cutaneous manifestations of (Chan et al), 213
Leukocyte, polymorphonuclear, chemotaxis-enhancing properties of psoriatic serum, etretinate reduces (Ellis et al), 437
Leukocytoclastic vasculitis, chronic cutaneous, colchicine effective in controlling (Callen), 193
Leukoderma, melanocyte autologous grafting for treatment of (Suvaprakorn et al), 968
Leukonychia and hepatotoxicity, trazodone-induced (Longstreth and Hershtman), 149 (Correspondence)
idiopathic, totalis and partialis (Stewart et al), 157 (Correspondence)
reply (Daniel), 158 (Correspondence)

- Lichenoid stomatitis associated with lithium carbonate (Hogan et al), 243 (Adverse reactions)
Lichen planus, bullous, after intravenous pyelography (Grunwald et al), 512 (Correspondence)
and chronic active hepatitis (Rebora and Rongioletti), 150 (Correspondence)
reply (Soltani et al), 150 (Correspondence)
effect of anatomic location on immunofluorescence in (Duschet et al), 1057 (Correspondence)
reply (Weigand), 1057 (Correspondence)
familial (Kofoed and Wantzin), 50
/lupus erythematosus (LE/LP) overlap syndrome (Nieboer), 297 (Correspondence)
reply (Camisa), 297 (Correspondence)
ulcerative, with associated sicca syndrome and good therapeutic result of skin grafting (Zijdenbos et al), 667 (Correspondence)
sclerosus et atrophicus associated with systemic lupus erythematosus (Meyrick Thomas et al), 832 (Correspondence)
reply (Kahana et al), 832 (Correspondence)
Liesegang TJ: The varicella-zoster virus: systemic and ocular features (11:165-191, 1984; correction to, 34
Lipschütz and Afzelius; erythema chronicum migrans (Holubar), 663 (Correspondence)
Literature, nondermatologic, articles selected from, of interest to dermatologists (January-December, 1984) (Thiers), 279
Lithium carbonate, lichenoid stomatitis associated with (Hogan et al), 243 (Adverse reactions)
Livedo reticularis due to multiple cholesterol emboli (Kalter et al), 235
Liver toxicity from potassium para-aminobenzoate (Kantor and Ratz), 671 (Correspondence)
L'oeedeme bleu and Secrétan's syndrome, localized form of factitial traumatic panniculitis (Winkelman and Barker), 988
Lung disease, chronic, hyperkeratoses of forearms associated with (Kaufman and Kaufman), 681 (Correspondence)
Lupus erythematosus, discoid, serologic and clinical features of patients with; relationship of antibodies to single-stranded deoxyribonucleic acid and of other antinuclear antibody subsets to clinical manifestations (Calen et al), 748
/lichen planus (LE/LP) overlap syndrome (Nieboer), 297 (Correspondence)
reply (Camisa), 297 (Correspondence)
and other dermatologic disorders, HLA and genetic predisposition to (Arnett), 472 (Clinical review)
systemic, lichen sclerosus et atrophicus associated with (Meyrick Thomas et al), 832 (Correspondence)
reply (Kahana et al), 832 (Correspondence)
Stevens-Johnson syndrome and toxic epidermal necrolysis in patient with (Burge and Dawber), 665 (Correspondence)
and tophaceous gout, coexistent (DeCastro et al), 650
Lupuslike disease, chlorpromazine-induced (Pavlidakey et al), 109 (Adverse reactions)
Lyme disease spirochete, isolation and characterization of, from skin of patients with erythema chronicum migrans (Berger et al), 444
Lymphocyte antigens A, B, and C, human, in Greek patients with psoriasis: relation to age and clinical expression of disease (Economidou et al), 578

- Lymphoma, B cell, cytophagic panniculitis and (Peters and Winkelmann), 882
cutaneous B cell; diagnostic use of monoclonal antibodies (Hanno et al), 373
T cell, and parapsoriasis en plaques, photochemotherapy in; long-term follow-up in forty-three patients (Rosenbaum et al), 613 (Therapy)
histiocytic, angioendotheliomatosis associated with (Lim and Anderson), 903
/leukemia, adult T cell, cutaneous manifestations of (Chan et al), 213
Lymphomatoid papulosis (Everett), 507 (Editorial)
or disease sui generis; eosinophilic histiocytosis (McLeod and Winkelmann), 952
and pityriasis lichenoides, clinical and histologic differentiation between (Willemze and Scheffer), 418
premalignant T cell disorder (Espinoza et al), 736
Lymphotrophic disease, human T cell (HTLV-III), severe molluscum contagiosum infection in patient with (Redfield et al), 821 (Correspondence)
Lymphotropic virus type III disease, human T cell, papular eruption associated with (James et al), 563

M

- Magnifiers in dermatology: personal survey (Epstein), 687 (Special article)
Malignancy, internal, prognosis and relationship of extramammary Paget's disease to (Chanda), 1009 (Clinical review)
urinary tract, genital Paget's disease and (Powell et al), 84
Malignant melanoma, hereditary—conceptual differences (Fusaro and Lynch), 833 (Correspondence)
reply (Headington), 834 (Correspondence)
primary, frequency and duration of patient follow-up after treatment of (Kelly et al), 756
pyoderma (Dicken), 1021 (Clinical review)
Market share, quality care, and costs, American Academy of Dermatology Blue Ribbon Committee (Wheeler), 853 (Special article)
Marrow transplantation, autologous, for malignant melanoma, applicability of high-dose chemotherapy with (Koh), 518 (Correspondence)
reply (Kessinger), 519 (Correspondence)
Meclofenamate sodium-induced agranulocytosis and suppression of erythropoiesis (Wishner and Milburn), 1052 (Correspondence)
Melanocyte autologous grafting for treatment of leukoderma (Suvanprakorn et al), 968
Melanocytic atypia, PUVA-induced: is it confined to PUVA lentiginos? (Abel et al), 761
Melanoma, balloon cell malignant (Peters and Su), 351
clinical Stage I cutaneous, does biopsy type influence survival in (Lederman and Sober), 983
excision of, after initial biopsy (Penneys), 995
hereditary malignant—conceptual differences (Fusaro and Lynch), 833 (Correspondence)
reply (Headington), 834 (Correspondence)
incision, adverse effect of (Chanda and Callen), 519 (Correspondence)
reply (Rampen and van der Esch), 521 (Correspondence)

Melanoma—cont'd

- malignant, applicability of high-dose chemotherapy with autologous marrow transplantation for (Koh), 518 (Correspondence)
reply (Kessinger), 519 (Correspondence)
primary malignant, frequency and duration of patient follow-up after treatment of (Kelly et al), 756
punch biopsy of (van der Esch and Rampen), 899
Minocycline, oral ibuprofen and, for treatment of resistant acne vulgaris (Funt), 524 (Correspondence)
reply (Ellis and Wong), 525 (Correspondence)
Minoxidil and sudden death (Baral), 297 (Correspondence)
reply (Vanderveen), 298 (Correspondence)
topical, in early male pattern baldness (Olsen et al), 185
effect of, on blood pressure (Feinstein), 673 (Correspondence)
reply (Vanderveen), 674 (Correspondence)
scalp comedones after (Baral), 1051 (Correspondence)
reply (Olsen), 1051 (Correspondence)
Mite, unusual, *Dermatophagoides schereemetewskyi*, feather pillow dermatitis caused by (Aylesworth and Baldrige), 680 (Correspondence)
Molluscum contagiosum in acquired immunodeficiency syndrome (Sarma and Weilbaecher), 682 (Correspondence)
reply (Douglass et al), 683 (Correspondence)
infection, severe in patient with human T cell lymphotropic (HTLV-III) disease (Redfield et al), 821 (Correspondence)
Monoclonal antibodies, diagnostic use of; cutaneous B cell lymphoma (Hanno et al), 373
to neurofilament and myelin proteins, immunohistochemical studies of selected skin diseases and tumors using (Aso et al), 37
Mouse, guinea pig, and rat; species specificity of nonimmunologic contact urticaria (Lahti and Maibach), 66
Mucosal diseases, oral (Rogers et al), 504 (Periodic synopsis)
Mycosis fungoides, benign intracranial hypertension during etretinate therapy for (Viraben et al), 515 (Correspondence)
early, intralesional interferon in treatment of (Wolff et al), 604
palmoplantar hyperkeratosis in (Aram and Zeidenbaum), 897
Myeloma, uncommon onset of (Schallreuter), 819 (Correspondence)

N

- Nail defects, benign cutaneous periarteritis nodosa with (Kassis et al), 661 (Correspondence)
pathology in histiocytosis X (Holzberg et al), 522 (Correspondence)
syndrome, yellow, in patients with acquired immunodeficiency disease (Chernosky and Finley), 731
Necrolysis, toxic epidermal, in patient with systemic lupus erythematosus, Stevens-Johnson syndrome and (Burge and Dawber), 665 (Correspondence)
Necrosis, acute disseminated epidermal types 1, 2, and 3: study of sixty cases (Ruiz-Maldonado), 623 (Clinical review)
subcutaneous fat, drug-induced pancreatitis presenting as (Detlefs), 305 (Correspondence)
Netherton's syndrome (Greene and Muller), 329
Neural origin, hamartoma of (Kohn and Silvers), 1046 (Correspondence)
reply (Bailin and Ratz), 1047 (Correspondence)
Neuroendocrine carcinomas of skin, secondary (Wick et al), 134 (Dermatopathology)
Neurofibromatosis, cutaneous segmental (Pullara et al), 999

- Nevus(i), congenital smooth muscle, with follicular spotted appearance (Dupre and Viraben), 837 (Correspondence)
dysplastic, age distribution and histologic patterns of (Sagebiel et al), 975
Nipple areola, hyperkeratosis of (Kuhlman et al), 596
Nocardiosis, cutaneous (Kalb et al), 125 (Clinical review)
Nomenclature, British, quirks of (Burton), 841 (Correspondence)
replies (Graham-Brown; Rosen), 841; 842 (Correspondence)

O

- Obsessive-compulsive disorder in dermatologic practice (Rasmussen), 965
Oral aphthosis, significant response of, to thalidomide treatment (Brothagen), 509 (Correspondence)
reply (Grinspan), 509 (Correspondence)
mucosal diseases (Rogers et al), 504 (Periodic synopsis)
Oxygen intermediates, thalidomide and (Miyachi and Niwa), 304 (Correspondence)
reply (Barnhill), 305 (Correspondence)

P

- Paget's disease, extramammary, and occult hypernephroma (Chanda), 1053 (Correspondence)
prognosis and relationship to internal malignancy (Chanda), 1009 (Clinical review)
genital, and urinary tract malignancy (Powell et al), 84
Palmar creases, keratosis punctata of (Ortega et al), 381
Palmaris, plantaris, et disseminata, porokeratosis (McCallister et al), 598
Palmoplantar hyperkeratosis in mycosis fungoides (Aram and Zeidenbaum), 897
Palpable lesions of skin, PAP new term for (Rivers), 1049 (Correspondence)
replies (Dobson; Silverman), 1050; 1051 (Correspondence)
Pancreatitis, drug-induced, presenting as subcutaneous fat necrosis (Detlefs), 305 (Correspondence)
Panniculitis, cytophagic, and B cell lymphoma (Peters and Winkelmann), 882
factitial traumatic (Winkelmann and Barker), 988
nodular migratory eosinophilic (gnathostomiasis) (Ollague), 835 (Correspondence)
polymyositis presenting with (Raimier et al), 366
PAP: new term for solid palpable lesions of skin (Rivers), 1049 (Correspondence)
replies (Dobson; Silverman), 1050; 1051 (Correspondence)
Papaverine therapy in atopic dermatitis (Baer), 806 (Therapy)
Papillomavirus, human, new clinical research on biology of; management of condyloma acuminatum (Silva et al), 457 (Therapy)
Papular eruption associated with human T cell lymphotropic virus type III disease (James et al), 563
Papulosis, lymphomatoid (Everett), 507 (Editorial)
or disease sui generis, variant form of lymphomatoid papulosis; eosinophilic histiocytosis (McLeod and Winkelmann), 952
and pityriasis lichenoides, clinical and histologic differentiation between (Willemze and Scheffer), 418
pre-malignant T cell disorder (Espinoza et al), 736

- Parapsoriasis en plaques, cutaneous T cell lymphoma and, photochemotherapy in; long-term follow-up in forty-three patients (Rosenbaum et al), 613 (Therapy)
Paroxysmal pruritus (Hazelrigg), 839 (Correspondence)
reply (Arnold), 839 (Correspondence)
Peeling skin syndrome (Dicken), 158 (Correspondence)
Pemphigus, gold treatment of (Rapini), 310 (Correspondence)
Penis, cutaneous horns of; approach to management (Lowe and McCullough), 369
Periarthritis nodosa, benign cutaneous, with nail defects (Kassis et al), 661 (Correspondence)
Periodic synopsis, 143, 504, 809
Pharmacist physician (Lober), 817 (Editorial)
Phlebectasia, acquired, of glans penis (Balato et al), 824 (Correspondence)
Photobiology, periodic synopsis on (Morison et al), 143
Photochemotherapy in cutaneous T cell lymphoma and parapsoriasis en plaques: long-term follow-up in forty-three patients (Rosenbaum et al), 613 (Therapy)
(PUVA) and skin cancer (Leone and Shelk), 155 (Correspondence)
reply (Stern), 156 (Correspondence)
treatment of pruritus associated with polycythemia vera (Swerlick), 675 (Correspondence)
Photodermatoses, multiple benign lichenoid keratoses simulating: evolution from senile lentigines and their spontaneous regression (Barranco), 201
Phototherapy regimen, ultraviolet B, addition of short-contact anthralin therapy to: assessment of efficacy (Lebwohl et al), 780
with ultraviolet radiation arising from variation in dose required to produce erythema, potential hazards in (Armstrong et al), 772
Physician, pharmacist (Lober), 817 (Editorial)
PIBI(D)S syndrome: new entity with defect of deoxyribonucleic acid excision repair system (Crovato and Rebora), 683 (Correspondence)
replies (Van Neste et al; Jorizzo), 685; 686 (Correspondence)
Pigmentation, flagellate, from intrapleural bleomycin (Fernandez-Obregon et al), 464 (Adverse reactions)
Pillow, feather, dermatitis, caused by unusual mite, *Dermatophagoides scherehewskyi* (Aylesworth and Baldridge), 680 (Correspondence)
Piroxicam, erythema annulare centrifugum associated with (Hogan and Blocka), 840 (Correspondence)
Pityriasis lichenoides, clinical and histologic differentiation between lymphomatoid papulosis and (Willemze and Scheffer), 418
Plantaris, palmaris, et disseminata, porokeratosis (McCallister et al), 598
Poisoning by halogenated aromatic compounds, chloracne resulting from (Tindall), 539
Polycythemia rubra vera, patients with presenting with symptoms similar to aquagenic pruritus (Steinman and Greaves), 91
vera, photochemotherapy treatment of pruritus associated with (Swerlick), 675 (Correspondence)
Polyethylene oxide gel occlusive dressing, new povidone-iodine-impregnated, evaluation of (Mandy), 655 (Dermatologic surgery)

- Polymorphonuclear leukocyte chemotaxis-enhancing properties of psoriatic serum, etretinate therapy reduces (Ellis et al), 437
- Polymyositis presenting with panniculitis (Raimer et al), 366
- Porokeratosis, immunosuppression cause of? (Lederman et al), 75
- plantaris, palmaris, et disseminata (McCallister et al), 598
- punctata palmaris et plantaris (punctate porokeratosis) (Sakas and Gentry), 908
- Porphyria cutanea tarda, sclerodermoid changes of; possible relationship to urinary uroporphyrin levels (Friedman and Doyle), 70
- Potassium para-aminobenzoate, liver toxicity from (Kantor and Ratz), 671 (Correspondence)
- Povidone-iodine-impregnated polyethylene oxide gel occlusive dressing, evaluation of (Mandy), 655 (Dermatologic surgery)
- Power analysis in dermatohistopathology (Lambert and Lambert), 501 (Dermatopathology)
- Pregnancy, dapson safe during (Kahn), 838 (Correspondence) reply (Lang), 839 (Correspondence)
- Protein(s), membrane, preferentially expressed by subpopulation of immature lymphoid cells, epidermal basal keratinocytes, and other epithelial cells (Gottlieb et al), 54
- neurofilament and myelin, immunohistochemical studies of selected skin diseases and tumors using monoclonal antibodies to (Aso et al), 37
- Pruritus, aquagenic (Steinman and Greaves), 91
- associated with polycythemia vera, photochemotherapy treatment of (Swierlick), 675 (Correspondence)
- paroxysmal (Hazelrigg), 839 (Correspondence) reply (Arnold), 839 (Correspondence)
- Psoralens and ultraviolet A or ultraviolet B for psoriasis following oral isotretinoin (Roeningk et al), 153 (Correspondence)
- Psoriasis, addition of topically applied corticosteroid to modified Goeckerman regimen for treatment of; effect on duration of remission (Horwitz et al), 784
- of early and late onset: characterization of two types of psoriasis vulgaris (Henseler and Christophers), 450
- human lymphocyte antigens A, B, and C in Greek patients with: relation to age and clinical expression of disease (Economidou et al), 578
- oral isotretinoin followed by psoralens and ultraviolet A or ultraviolet B for (Roeningk et al), 153 (Correspondence)
- pustular, advantages of low doses of etretinate progressively increased (Dubertret), 830 (Correspondence) reply (Ellis), 830 (Correspondence)
- hypopyon-iridocyclitis as complication of (Hatchome and Tagami), 828 (Correspondence)
- trauma and (Yaffee), 1055 (Correspondence) reply (Hubler), 1056 (Correspondence)
- recalcitrant, rationally designed combination chemotherapy for treatment of patients with (Alper et al), 567
- vulgaris and bullous diseases, coexistence of (Grunwald et al), 224
- characterization of two types of; psoriasis of early and late onset (Henseler and Christophers), 450
- Psoriatic serum, etretinate therapy reduces polymorphonuclear leukocyte chemotaxis-enhancing properties of (Ellis et al), 437
- Public educational efforts, response to (Newton and Maris), 1061 (Correspondence)
- Pulmonary injury immunologically mediated, evidence for, in hypocomplementemic urticarial vasculitis syndrome (Baer et al), 509 (Correspondence) replies (Green et al; Falk), 511; 512 (Correspondence)
- Punch biopsy of melanoma (van der Esch and Rampen), 899
- Punctate porokeratosis (porokeratosis punctata palmaris et plantaris) (Sakas and Gentry), 908
- Pustular psoriasis, hypopyon-iridocyclitis as complication of (Hatchome and Tagami), 828 (Correspondence)
- trauma and (Yaffee), 1055 (Correspondence) reply (Hubler), 1056 (Correspondence)
- PUVA following oral isotretinoin for psoriasis (Roeningk et al), 153 (Correspondence)
- lentiginos, is PUVA-induced melanocytic atypia confined to? (Abel et al), 761
- (photochemotherapy) and skin cancer (Leone and Shelk), 155 (Correspondence) reply (Stern), 156 (Correspondence)
- Pyelography, intravenous, bullous lichen planus after (Grunwald et al), 512 (Correspondence)
- Pyoderma, atypical, as side effect of isotretinoin (Elpern), 1045 (Correspondence)
- gangrenosum and chronic persistent hepatitis (Green et al), 892
- hairy cell leukemia and (Rustin et al), 300 (Correspondence) reply (Finan and Su), 301 (Correspondence)
- malignant (Dicken), 1021 (Clinical review)

R

- Radiation, ultraviolet, potential hazards in phototherapy with, arising from variation in dose required to produce erythema (Armstrong et al), 772
- Rat, guinea pig, and mouse; species specificity of nonimmunologic contact urticaria (Lahti and Maibach), 66
- Raynaud's phenomenon, persisting, following intralesional bleomycin treatment of finger warts (Epstein), 468 (Adverse reactions) reply (O'Keefe and Hayes; Bovenmeyer), 469; 470 (Adverse reactions)
- Reactions, cosmetic, five-year study of (Adams and Maibach), 1062 (Special article)
- cutaneous drug: pathogenesis and clinical classification (Wintroub and Stern), 167
- Refrigeration, survey of, and surgical technics used for facial dermabrasion (Dzubow), 287 (Dermatologic surgery)
- Reiter's syndrome, response of cutaneous lesions of, to ketoconazole (Leshner and Chalker), 161 (Correspondence)
- Reticulohistiocytosis, multicentric; histiocytic syndromes (Gianotti and Caputo), 399
- self-healing; histiocytic syndromes (Gianotti and Caputo), 390
- Royal Society of Medicine (Wilkinson), 837 (Correspondence)

S

- Sarcoidosis, unique case of, with coexistent collagen vascular disease (Aronson et al), 886
- Scalp comedones after topical minoxidil (Baral), 1051 (Correspondence) reply (Olsen), 1051 (Correspondence)
- Scleroderma, localized, clinical and serologic expression of (Piette et al), 342
- Sclerodermoid changes of porphyria cutanea tarda; possible relationship to urinary uroporphyrin levels (Friedman and Doyle), 70

- Scopolamine delivered by transdermal device, delayed hypersensitivity to (Trozak), 247 (Adverse reactions)
- Sealants, anaerobic, contact dermatitis to (Ranchoff and Taylor), 1015 (Clinical review)
- Sebaceous hyperplasia, areolar (Catalano and Ioannides), 867
- Seborrheic dermatitis in patients with acquired immunodeficiency syndrome (Mathes and Douglass), 947
- Secrétan's syndrome and *l'oedeme bleu*, localized form of factitial traumatic panniculitis (Winkelmann and Barker), 988
- Seizure disorder and linear cutaneous sclerosis, association between (Piette et al), 342
- Senile lentigines, evolution of multiple benign lichenoid keratoses simulating photodermatoses from, and their spontaneous regression (Barranco), 201
- Serologic and clinical features of patients with discoid lupus erythematosus: relationship of antibodies to single-stranded deoxyribonucleic acid and of other antinuclear antibody subsets to clinical manifestations (Callen et al), 748
- Serri, Ferdinando, 323 (Serri) (Contemporaries)
- Serum sickness, cutaneous manifestations of, in patients receiving antithymocyte globulin (Bielory et al), 411
- Sexual abuse, possible, most genital warts in children should be reported as (Alexander and Schor), 525 (Correspondence)
- replies (Schachner and Hankin; Rasmussen), 526; 527 (Correspondence)
- Sicca syndrome, associated, ulcerative lichen planus with, and good therapeutic result of skin grafting (Zijdenbos et al), 667 (Correspondence)
- "Silver oak" wooden arm bracelets, allergic contact dermatitis to (Hoffman et al), 778
- Sinus histiocytosis with massive lymphadenopathy; histiocytic syndromes (Gianotti and Caputo), 392
- Skin diseases and tumors, selected, immunohistochemical studies of, using monoclonal antibodies to neurofilament and myelin proteins (Aso et al), 37
- examination, complete, crucial importance of (Kaminester), 150 (Correspondence)
- replies (Epstein; Arundell), 151; 153 (Correspondence)
- grafting, good therapeutic result of, ulcerative lichen planus with associated sicca syndrome and (Zijdenbos et al), 667 (Correspondence)
- as immunologic organ (Katz), 530 (Special article)
- secondary neuroendocrine carcinomas of (Wick et al), 134 (Dermatopathology)
- syndrome, peeling (Dicken), 158 (Correspondence)
- Spirochete, Lyme disease, isolation and characterization of, from skin of patients with erythema chronicum migrans (Berger et al), 444
- Squaric acid and esters: analysis for contaminants and stability in solvents (Wilkerson et al), 229
- Staining, direct and indirect immunofluorescent, simple and improved method for (Grimwood et al), 768
- Stevens-Johnson syndrome and toxic epidermal necrolysis in patient with systemic lupus erythematosus (Burge and Dawber), 665 (Correspondence)
- Stomatitis, lichenoid, associated with lithium carbonate (Hogan et al), 243 (Adverse reactions)
- Streptococcal skin infection, natural history of; prevention with topical antibiotics (Maddox et al), 207
- Sulfone treatment of granuloma annulare (Steiner et al), 1004 (Therapy)
- Surgical techniques used for facial dermabrasion, survey of refrigeration and (Dzubow), 287 (Dermatologic surgery)
- Syphilitic chancres, extragenital (Chapel et al), 582
- Syringofibroadenoma, eccrine (Mascaro) (Mehregan et al), 433
- Syringomas, alopecia associated with (Neuman and Burnett), 528 (Correspondence)
- Systemic lupus erythematosus, linking of discoid lupus erythematosus to (Callen et al), 748
- and tophaceous gout (coexistent) (DeCastro et al), 650

T

- "Tanning" pill, canthaxanthin (Lober), 660 (Editorial)
- T cell, human, lymphotropic virus type III disease, papular eruption associated with (James et al), 563
- lymphoma, cutaneous, and parapsoriasis en plaques, photochemotherapy in; long-term follow-up in forty-three patients (Rosenbaum et al), 613 (Therapy)
- lymphotropic (HTLV-III) disease, human, severe molluscum contagiosum infection in patient with (Redfield et al), 821 (Correspondence)
- Testosterone and hirsutism, circulating, source of (Baker), 160 (Correspondence)
- reply (Krusinski), 160 (Correspondence)
- Tetracycline-induced fixed drug eruptions: influence of dose and structure of tetracyclines (Chan et al), 302 (Correspondence)
- replies (Stern; Bargman), 303 (Correspondence)
- Thalidomide and oxygen intermediates (Miyachi and Niwa), 304 (Correspondence)
- reply (Barnhill), 305 (Correspondence)
- treatment, significant response of oral aphthosis to (Brothagen), 509 (Correspondence)
- reply (Grinspan), 509 (Correspondence)
- The Vicar of Wakefield*, Oliver Goldsmith's, cutaneous implications in (Caplan), 1075 (Commentary)
- Tinea capitis, moistened gauze technic to aid in diagnosis of (Borchers), 672 (Correspondence)
- Tissue repair, cutaneous: basic biologic considerations. I (Clark), 701
- practical implications of current knowledge. II (Reed and Clark), 919
- Tophaceous gout, coexistent systemic lupus erythematosus and (DeCastro et al), 650
- Topical minoxidil, effect of, on blood pressure (Feinstein), 673 (Correspondence)
- Toxic epidermal necrolysis and Stevens-Johnson syndrome in patient with systemic lupus erythematosus (Burge and Dawber), 665 (Correspondence)
- Toxicity, liver, from potassium para-aminobenzoate (Kantor and Ratz), 671 (Correspondence)
- Transplant patient, postrenal, *Exophiala jeikei* infection in (Sindhuapak et al), 877
- Transplantation, autologous marrow, applicability of high-dose chemotherapy with, for malignant melanoma (Koh), 518 (Correspondence)
- reply (Kessinger), 519 (Correspondence)
- Trauma and pustular psoriasis (Yaffee), 1055 (Correspondence)
- reply (Hubler), 1056 (Correspondence)
- Trazodone-induced hepatotoxicity and leukonychia (Longstreth and Hersman), 149 (Correspondence)

- Tumor(s), balloon cell, importance of careful examination of all sections of (Peters and Su), 351
 benign adnexal, algorithmic approach to (Rapini), 674 (Correspondence)
 reply (Brown and Ariano), 675 (Correspondence)
 painful subungual keratotic, in incontinentia pigmenti (Mascaro et al), 913
 and skin diseases, selected, immunohistochemical studies of, using monoclonal antibodies to neurofilament and myelin proteins (Aso et al), 37
 Tzanck smears, Diff-Quik stain for (O'Keefe et al), 148 (Correspondence)
 reply (Wheeland), 148 (Correspondence)

U

- Ulcerative lichen planus with associated sicca syndrome and good therapeutic result of skin grafting (Zijdenbos et al), 667 (Correspondence)
 Ultraviolet B phototherapy regimen, addition of short-contact anthralin therapy to: assessment of efficacy (Lebwohl et al), 780
 radiation, potential hazards in phototherapy with, arising from variation in dose required to produce erythema (Armstrong et al), 772
 Urinary tract malignancy, genital Paget's disease and (Powell et al), 84
 uroporphyrin levels, possible relationship of sclerodermoid changes of porphyria cutanea tarda to (Friedman and Doyle), 70
 Urticaria agents, nonimmunologic contact, long refractory period after one application of, to guinea pig ear (Lahti and Maibach), 585
 chronic, doxepin in treatment of (Ledo et al), 1058 (Correspondence)
 reply (Greene), 1058 (Correspondence)
 cold (Neittaanmäki), 636 (Clinical review)
 nonimmunologic contact, species specificity of; guinea pig, rat, and mouse (Lahti and Maibach), 66
 Urticarial vasculitis: response to dapsone and colchicine (Muramatsu and Tanabe), 1055 (Correspondence)
 syndrome, hypocomplementemic, evidence for immunologically mediated pulmonary injury in (Baer et al), 509 (Correspondence)
 replies (Green et al; Falk), 511; 512 (Correspondence)

V

- Vascular atherosclerosis and hyperlipoproteinemia resulting from primary genetic disorders and numerous secondary conditions; xanthomas and hyperlipidemias (Parker), 1

- Vascular—cont'd
 disease, collagen, periodic synopsis on (Callen et al), 809 (Periodic synopsis)
 Vasculitis, chronic cutaneous leukocytoclastic, colchicine effective in controlling (Callen), 193
 urticarial: response to dapsone and colchicine (Muramatsu and Tanabe), 1055 (Correspondence)
 Venezuelan black child, Chédiak-Higashi syndrome in (Leal et al), 337
 Virus, human T cell lymphotropic, type III disease, papular eruption associated with (James et al), 563

W

- Warts, anogenital; management of condyloma acuminatum (Silva et al), 457 (Therapy)
 finger, persisting Raynaud's phenomenon following intralesional bleomycin treatment of (Epstein), 468 (Adverse reactions)
 reply (O'Keefe and Hayes; Bovenmeyer), 469; 470 (Adverse reactions)
 most genital, in children should be reported as possible sexual abuse (Alexander and Schor), 525 (Correspondence)
 replies (Schachner and Hankin; Rasmussen), 526; 527 (Correspondence)
 Wells' syndrome (eosinophilic cellulitis) (Hollander), 664 (Correspondence)
 Wound dressings for dermatologic surgery (Winton and Salasche), 1026 (Dermatologic surgery)
 repair, certain factors that delay; cutaneous tissue repair (Reed and Clark), 919
 cutaneous tissue repair: basic biologic considerations. I (Clark), 701

X

- Xanthogranuloma, juvenile; histiocytic syndromes (Gianotti and Caputo), 391
 Xanthoma(s) disseminatum; histiocytic syndromes (Gianotti and Caputo), 396
 and hyperlipidemias (Parker), 1
 papular; histiocytic syndromes (Gianotti and Caputo), 395
 Xenogenic collagen implantation in animal model, variables affecting results of (Grosch et al), 792

Y

- Yellow nail syndrome in patients with acquired immunodeficiency disease (Chernosky and Finley), 731

